

Safety Data Sheet

SDS HurriCaine® Topical Anesthetic Spray

January 2015

HurriCaine® Topical Anesthetic Spray

Page 1 of 6

CHEMICAL PRODUCT / COMPANY IDENTIFICATION

Material Identification

PRODUCT NAMEHurriCaine Topical Anesthetic Spray, 20 % Benzocaine CHEMICAL FAMILYMixture

Company Identification

MANUFACTURER / DISTRIBUTOR

Beutlich® Pharmaceuticals, LLC 7775 S. US Hwy 1 Suite H Bunnell, FL 32110

PHONE NUMBER

Product Information

1-800-238-8542 (within the United States and Canada)

M - F: 8:00 a.m. - 4:30 p.m. EST

Emergency: 1-800-535-5053

Emergency Overview: Extremely flammable spray. Possible skin and eye irritant.

HAZARDS IDENTIFICATION



Warning: Flammable liquid and vapor EYE: Contact may cause irritation. SKIN: Contact may cause irritation. INGESTION: Relatively non-toxic

INHALATION: Irritation of the nose, throat, and lungs may result from over-exposure to

vapors or mist.

CHRONIC (CANCER) INFORMATION: Not classified as carcinogenic

LONG-TERM TOXIC EFFECTS: None known

Page 2 of 6

Hazard classification

Signal word

None

None

Other hazards

Low toxicity under normal conditions of handling and use.

Safe when used as specified

COMPOSITION / INFORMATION ON INGREDIENTS

| INGREDIENT NAME | CAS NUMBER |
|-------------------------|----------------|
| BENZOCAINE | 94-09-07 |
| POLYETHYLENE GLYCOL 400 | 25322-68-3 |
| SODIUM SACCHARIN | 128-44-9 |
| ETHYL ALCOHOL | 64-17-5 |
| FLAVORING AGENT | Not Applicable |
| PROPANE | 74-98-6 |
| ISOBUTANE | 115-11-7 |

FIRST-AID MEASURES

First Aid

INHALATION: Remove to fresh air.

SKIN CONTACT: Wash thoroughly.

EYE CONTACT: Irrigate eyes with running water for at least 15 minutes. Get medical attention if irritation

develops.

INGESTION: None applicable

FIRE-FIGHTING MEASURES

FLASH POINT.....-156 °F

EXTINGUISHING MEDIA......Dry Chemical; Carbon Dioxide; Foam; Water spray for

large fires

SPECIAL FIRE FIGHTING PROCEDURES......As for surrounding fire

Page 3 of 6

ACCIDENTAL RELEASE MEASURES

Safeguards (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

HANDLING AND STORAGE

Store under ambient conditions in ventilated area. No special handling required.

EXPOSURE CONTROLS / PERSONAL PROTECTION

EYE PROTECTION REQUIREMENTS......None SKIN PROTECTION REQUIREMENTS.....None RESPIRATOR REQUIREMENTS......None

VENTILATION REQUIREMENTS......lf needed, use local exhaust ventilation to keep airborne

concentrations below the TLV.

Exposure guidelines: None

Exposure limits: None

Propane:

OSHA (PEL): 1,000 ppm ACGIH (TLV): 2,500 ppm

PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM.....Spray

STABILITY AND REACTIVITY

STABILITY......This is a stable material.

HAZARDOUS POLYMERIZATION......Will not occur

INCOMPATIBILITIES......None special

HurriCaine® Topical Anesthetic Spray

Page 4 of 6

TOXICOLOGICAL INFORMATION

Mixture not tested but based on components.

BENZOCAINE: Pure material is skin, eye and respiratory irritant. IRP-MUS LD50: 216 mg/kg POLYETHYLENE GLYCOL 400: Mild eye irritant

LD50 (rat): 30,200 mg/kg

None of the components are listed as carcinogens.

ECOLOGICAL INFORMATION

No data

DISPOSAL CONSIDERATIONS

Waste Disposal:

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Do not incinerate as vessel may rupture.

TRANSPORTATION INFORMATION

Proper Shipping Name: Aerosols, Flammable

Hazard Class: 2.1 UN No.: UN1950

REGULATORY INFORMATION

U.S. Federal Regulations: 49 CFR Ch. 1, § 172.101

TSCA Inventory Status: Reported/included

Section 313 Supplier Notifications:

This product contains no toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Canadian Regulations:

DSL: Included

WHMIS Classification: B-1 flammable gas

European Regulations: EINECS: All chemicals listed

Page 5 of 6

EEC Classifications:

PROPANE

F+

R12. Extremely flammable

S2. Keep out of reach of children.

S9. Keep container in a well-ventilated place.

\$16. Keep away from sources of ignition. No smoking.

ISOBUTYLENE

F+

R12. Extremely flammable

S2. Keep out of reach of children.

S9. Keep container in a well-ventilated place.

\$16. Keep away from sources of ignition. No smoking.

S33. Take precautionary measures against static discharges.

Inventory status:

United States (TSCA):

Reported/included

Canada (DSL/NDSL):

Listed in DSL

European Union (EINICS);

Listed in EINICS Listed

Australia (AICS): China (ECSC):

Listed

South Korea (KECI):

Listed

Philippines (PICCS):

Listed

Japan (ENCS):

Listed

OTHER INFORMATION

NPCA-HMIS Rating

Health:

Flammability:

Reactivity:

Personal Protection rating to be supplied by user, depending on use conditions.

STATE RIGHT-TO-KNOW LAWS

No substances on the state hazardous substances list, for the states indicated below, are used in the manufacture of products on this Safety Data Sheet, with the exceptions indicated. While we do not specifically analyze these products, or the raw materials used in their manufacture, for substances on various state hazardous substances lists, to the best of our knowledge the products on this Safety Data Sheet contain no such substances except for those specifically listed below.

WARNING: SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: None known

WARNING: SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: Ethyl alcohol

Page 6 of 6

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Beutlich Pharmaceuticals, LLC. The data on this sheet relates only to the specific material designated herein. Beutlich Pharmaceuticals, LLC assumes no legal responsibility for use or reliance upon these data.

Responsibility for MSDS:

Beutlich Pharmaceuticals, LLC 7775 S. Hwy 1 Suite H Bunnell, FL 32110

HurriCaine is a registered trademark of Beutlich Pharmaceuticals, LLC.