

#### Kit SDS Cover Sheet

Doc. ID: 64115-75: Rev. AJ Revised (year/month/day) 2011/11/23

#### **Product Information**

**Product Name** 

Hemoccult®SENSA® Developer

**Part Number** 

395035, 64000, 64115, 64130, 64151, 64152, 64200, 65940

Series Name

64000 Series

**Additional Product** 

Information

If Developer expiration date is May 2012 or earlier, use Part A of SDS. If Developer expiration date is June 2012 or later, use Part B of the SDS. The US OSHA and WHMIS hazard

classification in Section 3 does not apply for EU.

### Components Description Hemoccult®SENSA®Developer (Part A) Hemoccult®SENSA®Developer (Part B)

Transport Information		
Shipping Information	Shipping Name	Alcohols, n.o.s. (Ethanol, Isopropanol solution)
	UN/ID Number	1987
	Packing Group	II
IATA	Hazard Class	3 Flammable Liquids
	Subsidiary Risk	None
	Special Provisions	A3
	IATA ERG Code	3L
IMDG	Hazard Class	3 Flammable liquids
	Subsidiary Risk	None
	Special Provisions	274
	Marine Pollutant	No
US DOT	Hazard Class	3 Flammable liquid
	Subsidiary Risk	None
	Special Provisions	173.150
	NAERG Number	127
European ADR	ADR Classification	3 Flammable Liquids
	Classification Code	F1
	Subsidiary Risk	None
Canadian TDG	PIN	1987
	TDG Classification	3 Flammable Liquids
	Subsidiary Risk	None

Doc. ID: 64115-75 AJ

Transport Informa	tion (Continued)	D00. ID: 64115-75 AJ
Special Provisions	16	
NAERG Number	127	



SAFETY DATA SHEET

Hemoccult®SENSA® Developer
Doc. ID: 64115-75 AJ

Revised (year/month/day) 2011/11/23

Section 1 Company and Product Identification		
Product Name	Hemoccult®SENSA®Developer (Part A)	
Part Number	Component of P/N 395035, 64000, 64115, 64130, 64151, 64152, 64200, 65940	
Product Use	For In Vitro Diagnostic Use. See product literature for details.	
Series Name	64000 Series	
Manufacturer	Beckman Coulter, Inc. 250 S. Kraemer Blvd Brea, CA 92821, U.S.A. Tel: 800-854-3633 E-mail: SDSNT@beckman.com	
EC REP Address	Beckman Coulter Ireland Inc. Mervue Business Park Mervue, Galway, Ireland Tel: 353 91 774068	
Distributor and Emergency Phone No.	Refer to attached list, Document ID: 472050, for local distributor and emergency phone numbers.  Chemtrec Emergency Tel No. U.S.A. 800-424-9300, International (001) 703-527-3887 (24 Hours)	

	Section 2 Hazards Ide	entification	
Emergency Overview	Colorless; Clear; Liquid; Alcohol odor Flammable liquid and vapor.		
	CNS depressant. Eye, skin and Harmful by inhalation, in conta Potential sensitizer.		
Physical Hazards	Vapors of flammable ingredients are heavier than air and may travel to an ignition source, ignite and flash back.		
Potential Health Effects Summary	May cause eye, skin and respiratory tract irritation and central nervous system depression with headache, dizziness, nausea and unconsciousness.  Harmful by inhalation, in contact with skin and if swallowed.  Potential sensitizer.  See Section 11 Toxicological Information for more detailed health information.		
Potential Environmental Effects	Not available		
Product Hazard Classifications	EU: F;R11 Xn;R20/21/22	US OSHA: Hazardous	WHMIS: Exempt

Page 4 of 19

Doc. ID: 64115-75 AJ

### **Section 2 Hazards Identification (Continued)**

#### **Label Elements**

Classification as per EC Directives (1999/45/EC and 67/548 EEC)

Risk and Safety Phrases

Highly flammable

F

R11 Highly flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

S16 Keep away from sources of ignition - No smoking

S36/37 Wear suitable protective clothing and gloves.

Harmful Xn

Other Hazard

None identified.

		Information on Ingredients			
Hazardous Ingredients:		Hazard Clas	Hazard Classification of Pure Ingredients		
Chemical Name	% by wt.	<u>EU</u>	WHMIS	US OSHA	
Ethanol-methanol mix CAS # 8013-52-3 EINECS # Not available Index # Not available	<95	F;R11 Xn;R20/21/22- 68/20/21/22 Flam. Liq. 2;H225 Acute Tox. Oral 4;H302 Acute Tox. Skin 4;H312 Acute Tox. Inhal. 4;H332 STOT SE 2;H371	B2; D2B	Flammable Irritant Toxic	
Ethyl Paraben CAS # 120-47-8 EINECS # 204-399-4 Index # Not available	< 5	No	D2B	Irritant Sensitizer	
Hydrogen Peroxide CAS # 7722-84-1 EINECS # 231-765-0 Index # 008-003-00-9	<2	O;R5-8 C;R35-20/22 Ox. Liq. 1;H271 Acute Tox. Oral 4;H302 Acute Tox. Inhal. 4;H332 Eye Dam. 1;H318 STOT SE 3;H335 Skin Corr. 1A;H314	C; E	Oxidizer Corrosive	

See Section 15 Regulatory Information for additional information on hazard classifications. See Section 16 for Risk Phrases and WHMIS Classification Description.

	Section 4 First Aid Measures
Inhalation	If product is inhaled, move exposed individual to fresh air. If individual is not breathing, begin artificial respiration immediately and obtain medical attention.
Eye Contact	If product enters eyes, wash eyes gently under running water for 15 minutes or longer, making sure that the eyelids are held open. If pain or irritation occur, obtain medical attention.
Skin Contact	In case of skin contact, flush with copious amounts of water for at least 15 minutes. If pain or irritation occur, obtain medical attention.
Ingestion	If ingested, wash mouth out with water. If irritation or discomfort occurs, seek medical attention.

	Section 5 Fire Fighting Measures
Flammable Properties	Flammable liquid and vapor.
Extinguishing Media	Use extinguishing media suitable for surrounding fire.
Special Fire and Explosion Hazards	Vapors form explosive mixtures with air. Vapors are heavier than air; fire may flash from ignition source back along vapor trail.
Hazardous Combustion Products	Depending upon fire conditions, combustion products may range from irritants and asphyxiants to acutely toxic gases.
Protective Equipment for Firefighters	Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.

Section 6 Accidental Release Measures	
Personal Precautions Use good laboratory procedures; avoid eye and skin contact.	
Spill and Leak Procedures	Absorb spilled material with an appropriate inert, non-flammable absorbent and dispose according to local regulations.
Environmental Precautions	Contain spill to prevent migration.

	Section 7 Handling and Storage
Handling Precautions	Use good laboratory procedures; avoid eye and skin contact.
Recommended Storage Conditions	To maintain efficacy, store according to the instructions in the product labeling. Keep away from incompatible material (see Section 10).

Section 8 Exposure Controls and Personal Protection	
Exposure Limits	
US OSHA:	
Hydrogen Peroxide CAS # 7722-84-1	1 ppm TWA; 1.4 mg/m3 TWA

Page 6 of 19 Doc. ID: 64115-75 AJ

### **Section 8 Exposure Controls and Personal Protection (Continued)**

ACGIH:

Hydrogen Peroxide CAS # 7722-84-1 1 ppm TWA

DFG MAK:

Hydrogen Peroxide CAS # 7722-84-1

0.5 ppm MAK; 0.71 mg/m3 MAK; 0.5 ppm Peak; 0.71 mg/m3 Peak

Ireland

Hydrogen Peroxide CAS # 7722-84-1

1 ppm TWA; 1.5 mg/m3 TWA; 2 ppm STEL; 3 mg/m3 STEL

NIOSH

Hydrogen Peroxide CAS # 7722-84-1

75 ppm IDLH; 1 ppm TWA; 1.4 mg/m3 TWA

Japan

None established

**Engineering Controls** 

No special engineering controls are required. Use with good general ventilation.

**Respiratory Protection** 

Under normal conditions, the use of this product should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should

be evaluated by a qualified professional.

Eye Protection

Safety glasses or chemical goggles should be worn to prevent eye contact. Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate

government standards.

Skin Protection

Impervious gloves, such as Nitrile or equivalent, should be worn to prevent skin

contact.

Refer U.S. OSHA 29 CFR 1910.138, European Standard EN374 or appropriate

government standards.

Section 9 Physical and Chemical Properties			
Physical State	Liquid	Vapor Density	1.6 (air=1)
Color	Colorless	Specific Gravity (Water=1.0)	0.8 @20°C
Transparency	Clear	Solubility	
Odor	Alcohol odor	Water	Soluble
рН	Not available	Organic	Not available
Freezing Point	Not available	Viscosity	Not available
Boiling Point	78°C (172.4°F)	Coefficient of Water/Oil Distribution	Not available
Flash Point	13°C (55.4°F)	Autoignition Temp.	Not available
Evaporation Rate	Not available	Decomposition Temperature	Not available

Page 7 of 19 Doc. ID: 64115-75 AJ

Section 9 Physical and Chemical Properties (Continued)

Flammability (Solid,

Not applicable

**Percent Volatiles** 

Not available

Flammable Limits

Gas)

Not available

Vapor Pressure

40 mm Hg @25°C

Oxidizing Properties

Not applicable

**Odor Threshold** 

Not applicable

Section 10 Stability and Reactivity

Stability

Stable under normal temperatures and pressures.

Hazardous Incompatibilities

Strong acids Strong bases

Strong oxidizers

**Hazardous Decomposition** 

**Products** 

No decomposition products posing significant hazards would be expected from this

product.

Conditions to Avoid

Avoid contact with incompatible materials.

**Section 11 Toxicological Information** 

**Toxicity Data** 

for Hazardous Ingredients

Ethyl Paraben CAS # 120-47-8

Oral LD50 Mouse 3 g/kg

Hydrogen Peroxide CÁS # 7722-84-1

Inhalation LC50 Rat 2 mg/L 4 h; Oral LD50 Rat 801 mg/kg; Dermal LD50 Rat 4060

mg/kg; Dermal LD50 Rabbit 2000 mg/kg

**Primary Routes** of Exposure

Eye contact, ingestion, inhalation, and skin contact.

Potential Effects of Acute Exposure

May cause irritation or burning of skin and eyes by contact. Inhalation and ingestion of large volumes may cause burning of mucous membrane, respiratory irritation,

and central nervous system depression.

Harmful by inhalation, in contact with skin and if swallowed.

**Potential Effects of Chronic** 

Exposure

Chronic exposure may result in effects similar to those described for acute exposure.

Frequent or long-term contact may dry out the skin resulting in dermatitis.

Repeated exposure may result in allergic reactions.

Symptoms of Overexposure

Symptoms of overexposure may include: throat irritation and coughing; dry,

red, cracked skin; red irritated eyes; headache, drowsiness, dizziness, stupor;

convulsions and coma.

Conditions Aggravated

by Exposure

Individuals with eye and skin disorders may find these conditions aggravated by

exposure to this product.

Individuals with eye, kidney, liver and cardiovascular, nervous and respiratory system

disorders may find these conditions aggravated by exposure to this product.

Irritation/Sensitization

May cause sensitization by inhalation and skin contact.

Carcinogenicity

No ingredients in this product are listed as carcinogens by ACGIH, IARC, NTP,

OSHA or 67/548/EEC Annex I.

Mutagenicity

None identified.

Page 8 of 19 Doc. ID: 64115-75 AJ

Section 11 Toxicological Information (Continued)

Reproductive Toxicity Reproductive effects have been reported in animal studies.

Other Effects None identified.

	Section 12 Ecological Information
Ecotoxicity	
Fresh Water Species	
Hydrogen Peroxide CAS # 7722-84-1	96 Hr LC50 Pimephales promelas: 16.4 mg/L; 96 Hr LC50 Lepomis macrochirus: 18-56 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 10.0-32.0 mg/L [static]
Microtox	No information available.
Water Flea	
Hydrogen Peroxide CAS # 7722-84-1	24 Hr EC50 Daphnia magna: 7.7 mg/L; 48 Hr EC50 Daphnia magna: 18 - 32 mg/L [Static]
Fresh Water Algae	
Hydrogen Peroxide CAS # 7722-84-1	72 Hr EC50 Chlorella vulgaris: 2.5 mg/L
Biodegradability	No information available.
Bioaccumulation	No information available.
Mobility	No information available.
Other Adverse Effects	No information available.

Section 13 Disposal Considerations		
Waste Disposal	Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.	

Section 14 Transport Information		
Shipping Information	Shipping Name	Alcohols, n.o.s. (Ethanol methanol solution)
•	UN/ID Number	1987
	Packing Group	II
IATA	Hazard Class	3 Flammable Liquids
	Subsidiary Risk	None
	Special Provisions	A3
	IATA ERG Code	3L
IMDG	Hazard Class	3 Flammable liquids
	Subsidiary Risk	None
	Special Provisions	274
	Marine Pollutant	No
US DOT	Hazard Class	3 ORM-D Consumer Commodity
	Subsidiary Risk	None

Page 9 of 19

Doc. ID: 64115-75 AJ

Section 14 Transport Information (Continued) 173,150 Special Provisions 127 **NAERG Number** 3 Flammable Liquids ADR Classification European ADR Classification Code Subsidiary Risk None 1987 Canadian TDG PIN 3 Flammable Liquids **TDG Classification** None Subsidiary Risk 16 Special Provisions 127 NAERG Number

#### **US Federal and State Regulations**

No ingredients listed. **SARA 313** 

CERCLA RG's. 40 CFR 302,4

No ingredients listed.

California Proposition 65

No ingredients listed.

Massachusetts MSL

Hydrogen Peroxide is listed.

New Jersey Dept. of

Health RTK List

Hydrogen Peroxide is listed.

Pennsylvania RTK

Hydrogen Peroxide is listed.

#### Canada

This product is exempt from WHMIS label and SDS requirements.

Ingredients on Ingredient

Hydrogen Peroxide

Disclosure List:

Ingredients with unknown

Product is exempt

toxicological properties:

Some hazardous ingredients listed in Section 15 are below OSHAs and WHMIS' 1.0% w/w (0.1% for carcinogens) or EU's ingredient specific concentrations required for reporting in Section 3.

Page 10 of 19 Doc. ID: 64115-75 AJ

Section 16 Other Information				
Beckman Coulter Safety Rating	Flammability (Section V): 3 Health (Section XI): 2 Reactivity with Water (Section X): 2 Contact (Section VIII): 2	Code 0=none 1=slight 2=caution 3=severe		
Revision Changes	Update of product hazard classification for EU.			
Revision Changes Hazard Class and Phrases Description From Section 3	Update of product hazard classification for EU.  C - Corrosive F - Highly flammable O - Oxidising Xn - Harmful R11 Highly flammable. R20/21/22 Harmful by inhalation, in contact with skin and if s R68/20/21/22 Harmful: possible risk of irreversible effects th with skin and if swallowed. R35 Causes severe burns. R20/22 Harmful by inhalation and if swallowed. R5 Heating may cause an explosion. R8 Contact with combustible material may cause fire. B2 - Flammable and Combustible Material: Flammable Liquid C - Oxidizing Material D2B - Poisonous and Infectious Material: Division 2 - Other Toxic Effects) D2B - Poisonous and Infectious Material: Division 2 - Other sensitization) D2B - Poisonous and Infectious Material: Division 2 - Other sensitization) E - Corrosive Material Acute Tox. Skin 4 - Acute Toxicity Dermal, Category 4 Acute Tox. Inhal. 4 - Acute Toxicity Inhalation, Category 4 Acute Tox. Oral 4 - Acute Toxicity Oral, Category 4 Eye Dam. 1 - Eye Damage Category 1 Flam. Liq. 2 - Flammable Liquids, Category 2 Ox. Liq. 1 - Oxidizing Liquids Category 1 Skin Corr. 1A - Skin Corrosion Category 1A STOT SE 2 - Specific Target Organ Toxicity Single Exposure STOT SE 3 - Specific Target Organ Toxicity Single Exposure STOT SE 3 - Specific Target Organ Toxicity Single Exposure H225 Highly flammable liquid and vapour. H271 May cause fire or explosion; strong oxidiser. H302 Harmful in contact with skin. H314 Causes severe skin burns and eye damage.	swallowed. rough inhalation, in contact  Toxic Effects: Toxic (Chronic Toxic Effects: Toxic (Skin Toxic Effects: Toxic (Skin or		
This SDS complies with EC Reg	H318 Causes serious eye damage. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. his SDS complies with EC Regulations 1907/2006 (REACH) and amendments.			
	ontact your local Beckman Coulter representative.			
	ornact your local becomain coulter representative.			



#### SAFETY DATA SHEET

Hemoccult<sup>®</sup>SENSA<sup>®</sup> Developer Doc. ID: 64115-75 AJ Revised (year/month/day) 2011/11/23

Section 1	Company	and	<b>Product</b>	Identification
-----------	---------	-----	----------------	----------------

**Product Name** 

Hemoccult®SENSA®Developer (Part B)

**Part Number** 

Component of P/N 395035, 64000, 64115, 64130, 64151, 64152, 64200, 65940

**Product Use** 

For In Vitro Diagnostic Use. See product literature for details.

Series Name

64000 Series

Manufacturer

Beckman Coulter, Inc. 250 S. Kraemer Blvd Brea, CA 92821, U.S.A. Tel: 800-854-3633

E-mail: SDSNT@beckman.com

**EC REP Address** 

Beckman Coulter Ireland Inc. Mervue Business Park Mervue, Galway, Ireland

Tel: 353 91 774068

Distributor and Emergency Phone No.

A

Refer to attached list, Document ID: 472050, for local distributor and emergency

phone numbers.

Chemtrec Emergency Tel No. U.S.A. 800-424-9300, International (001)

703-527-3887 (24 Hours)

Section 2 Hazards Identification		
Emergency Overview	Colorless; Clear; Liquid; Alcohol odor Flammable liquid and vapor.	
	CNS depressant. Eye, skin and respiratory tract irritant. Potential sensitizer.	
Physical Hazards	Vapors of flammable ingredients are heavier than air and may travel to an ignition source, ignite and flash back.	
Potential Health Effects Summary	May cause eye, skin and respiratory tract irritation and central nervous system depression with headache, dizziness, nausea and unconsciousness.  Potential sensitizer.  See Section 11 Toxicological Information for more detailed health information.	

**Potential** 

Not available

**Environmental Effects** 

Product Hazard ClassificationsEU:<br/>F;R11US OSHA:<br/>HazardousWHMIS:<br/>Exempt

Page 12 of 19 Doc. ID: 64115-75 AJ

### Section 2 Hazards Identification (Continued)

Label Elements

Classification as per EC Directives (1999/45/EC and 67/548 EEC)

Risk and Safety Phrases

Highly flammable

F

R11 Highly flammable.

S16 Keep away from sources of ignition - No

smoking.

S7 Keep container tightly closed.

Other Hazard

None identified.

Section 3 Composition and Information on Ingredients					
Hazardous Ingredients:			Hazard Classification of Pure Ingredients		
Chemical Name	% by wt.	EU	WHMIS	US OSHA	
Ethyl Alcohol CAS # 64-17-5 EINECS # 200-578-6 Index # 603-002-00-5	<85	F;R11 Flam. Liq. 2;H225	B2; D2A; D2B	Flammable Irritant	
Isopropyl Alcohol CAS # 67-63-0 EINECS # 200-661-7 Index # 603-117-00-0	<5	F;R11 Xi;R36-67 Flam. Liq. 2;H225 Eye Irrit. 2A;H319 STOT SE 3;H336	B2; D2B	Flammable Irritant	
Ethyl Paraben CAS # 120-47-8 EINECS # 204-399-4 Index # Not available	< 5	No	D2B	Irritant Sensitizer	
Hydrogen Peroxide CAS # 7722-84-1 EINECS # 231-765-0 Index # 008-003-00-9	< 2	O;R5-8 C;R35-20/22 Ox. Liq. 1;H271 Acute Tox. Oral 4;H302 Acute Tox. Inhal. 4;H332 Eye Dam. 1;H318 STOT SE 3;H335 Skin Corr. 1A;H314	C; E	Oxidizer Corrosive	

See Section 15 Regulatory Information for additional information on hazard classifications. See Section 16 for Risk Phrases and WHMIS Classification Description.

Section	4	First Aid	Measures
---------	---	-----------	----------

Inhalation

If product is inhaled, move exposed individual to fresh air. If individual is not breathing, begin artificial respiration immediately and obtain medical attention.

Page 13 of 19 Doc. ID: 64115-75 AJ

Section 4 First Aid Measures (Continued)		
Eye Contact	If product enters eyes, wash eyes gently under running water for 15 minutes or longer, making sure that the eyelids are held open. If pain or irritation occur, obtain medical attention.	
Skin Contact	In case of skin contact, flush with copious amounts of water for at least 15 minutes. If pain or irritation occur, obtain medical attention.	
Ingestion	If ingested, wash mouth out with water. If irritation or discomfort occurs, seek medical attention.	

	Section 5 Fire Fighting Measures
Flammable Properties	Flammable liquid and vapor.
Extinguishing Media	Use extinguishing media suitable for surrounding fire.
Special Fire and Explosion Hazards	Vapors form explosive mixtures with air. Vapors are heavier than air; fire may flash from ignition source back along vapor trail.
Hazardous Combustion Products	Depending upon fire conditions, combustion products may range from irritants and asphyxiants to acutely toxic gases.
Protective Equipment for Firefighters	. Self-contained breathing apparatus is recommended for firefighters in all chemical fire situations.

Section 6 Accidental Release Measures		
Personal Precautions	Use good laboratory procedures; avoid eye and skin contact.	
Spill and Leak Procedures	Absorb spilled material with an appropriate inert, non-flammable absorbent and dispose according to local regulations.	
Environmental Precautions	Contain spill to prevent migration.	

	Section 7 Handling and Storage
Handling Precautions	Use good laboratory procedures; avoid eye and skin contact.
Recommended Storage Conditions	To maintain efficacy, store according to the instructions in the product labeling. Keep away from incompatible material (see Section 10).

Section 8 Exposure Controls and Personal Protection				
Exposure Limits				
US OSHA:				
Ethyl Alcohol CAS # 64-17-5	1000 ppm TWA; 1900 mg/m3 TWA			
Isopropyl Alcohol CAS # 67-63-0	400 ppm TWA; 980 mg/m3 TWA			
Hydrogen Peroxide	1 ppm TWA; 1.4 mg/m3 TWA			

## Section 8 Exposure Controls and Personal Protection (Continued)

ACGIH:

Ethyl Alcohol CAS # 64-17-5

1000 ppm STEL

Isopropyl Alcohol CAS # 67-63-0

400 ppm STEL; 200 ppm TWA

Hydrogen Peroxide CÁS # 7722-84-1

1 ppm TWA

DFG MAK:

Ethyl Alcohol CAS # 64-17-5

500 ppm MAK; 960 mg/m3 MAK; 1000 ppm Peak; 1920 mg/m3 Peak

Isopropyl Alcohol CAS # 67-63-0

200 ppm MAK; 500 mg/m3 MAK; 400 ppm Peak; 1000 mg/m3 Peak

Hydrogen Peroxide CÁS # 7722-84-1

0.5 ppm MAK; 0.71 mg/m3 MAK; 0.5 ppm Peak; 0.71 mg/m3 Peak

Ireland

Ethyl Alcohol CAS # 64-17-5

1000 ppm TWA; 1900 mg/m3 TWA

Isopropyl Alcohol CAS # 67-63-0

200 ppm TWA; 400 ppm STEL; Potential for cutaneous absorption

Hydrogen Peroxide CAS # 7722-84-1

1 ppm TWA; 1.5 mg/m3 TWA; 2 ppm STEL; 3 mg/m3 STEL

NIOSH

Ethyl Alcohol CAS # 64-17-5

3300 ppm IDLH (10% LEL); 1000 ppm TWA; 1900 mg/m3 TWA

Isopropyl Alcohol CAS # 67-63-0

2000 ppm IDLH (10% LEL); 400 ppm TWA; 980 mg/m3 TWA; 500 ppm STEL; 1225

mg/m3 STEL

Hydrogen Peroxide CAS # 7722-84-1

75 ppm IDLH; 1 ppm TWA; 1.4 mg/m3 TWA

Japan

None established

**Engineering Controls** 

No special engineering controls are required. Use with good general ventilation.

**Respiratory Protection** 

Under normal conditions, the use of this product should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should

be evaluated by a qualified professional.

Eye Protection

Safety glasses or chemical goggles should be worn to prevent eye contact. Refer U.S. OSHA 29 CFR 1910.133, European Standard EN166 or appropriate

government standards.

Skin Protection

Impervious gloves, such as Nitrile or equivalent, should be worn to prevent skin

contact.

Refer U.S. OSHA 29 CFR 1910.138, European Standard EN374 or appropriate

government standards.

Physical State

Liquid

Vapor Density

Not available

Page 15 of 19 Doc. ID: 64115-75 AJ

Section 9 Physical and Chemical Properties (Continued)				
Color	Colorless	Specific Gravity (Water=1.0)	0.9 @20°C	
Transparency	Clear	Solubility		
Odor	Alcohol odor	Water	Soluble	
рН	Not available	Organic	Not available	
Freezing Point	Not available	Viscosity	Not available	
Boiling Point	Not available	Coefficient of Water/Oil Distribution	Not available	
Flash Point	15.5°C (59.9°F)	Autoignition Temp.	Not available	
Evaporation Rate	Not available	Decomposition Temperature	Not available	
Flammability (Solid, Gas)	Not applicable	Percent Volatiles	Not available	
Flammable Limits	Not available	Vapor Pressure	Not available	
Oxidizing Properties	Not applicable	Odor Threshold	Ethyl Alcohol 180 ppm geometric mean air odor threshold = (detectable); 100 ppm geometric mean air odor threshold = (recognizable) Isopropyl Alcohol 43 ppm geometric mean air odor threshold = (detectable); 19 ppm geometric mean air odor threshold = (recognizable)	

Section 10 Stability and Reactivity				
Stability	Stable under normal temperatures and pressures.			
Hazardous Incompatibilities	Strong acids Strong bases Strong oxidizers			
Hazardous Decomposition Products	No decomposition products posing significant hazards would be expected from this product.			
Conditions to Avoid	Avoid contact with incompatible materials.			

Page 16 of 19 Doc. ID: 64115-75 AJ

## **Section 11 Toxicological Information**

**Toxicity Data** for Hazardous Ingredients

> Ethyl Alcohol CAS # 64-17-5

Oral LD50 Rat 7060 mg/kg; Inhalation LC50 Rat 124.7 mg/L 4 h

Isopropyl Alcohol CAS # 67-63-0

Inhalation LC50 Rat 72.6 mg/L 4 h; Oral LD50 Rat 4396 mg/kg; Dermal LD50 Rat

12800 mg/kg; Dermal LD50 Rabbit 12870 mg/kg

Ethyl Paraben CAS # 120-47-8

Oral LD50 Mouse 3 g/kg

Hydrogen Peroxide CÁS # 7722-84-1

Inhalation LC50 Rat 2 mg/L 4 h; Oral LD50 Rat 801 mg/kg; Dermal LD50 Rat 4060

mg/kg; Dermal LD50 Rabbit 2000 mg/kg

Primary Routes of Exposure

Eye contact, ingestion, inhalation, and skin contact.

Potential Effects of Acute Exposure

May cause irritation or burning of skin and eyes by contact. Inhalation and ingestion of large volumes may cause burning of mucous membrane, respiratory irritation,

and central nervous system depression.

Potential Effects of Chronic

Exposure

Chronic exposure may result in effects similar to those described for acute exposure. Frequent or long-term contact may dry out the skin resulting in dermatitis.

Repeated exposure may result in allergic reactions.

Symptoms of Overexposure

Symptoms of overexposure may include: throat irritation and coughing; dry, red, cracked skin; red irritated eyes; headache, drowsiness, dizziness, stupor;

convulsions and coma.

Conditions Aggravated

by Exposure

Individuals with eye and skin disorders may find these conditions aggravated by

exposure to this product.

Individuals with eye, kidney, liver and cardiovascular, nervous and respiratory system

disorders may find these conditions aggravated by exposure to this product.

Irritation/Sensitization

May cause sensitization by inhalation and skin contact.

Carcinogenicity

No ingredients in this product are listed as carcinogens by ACGIH, IARC, NTP,

OSHA or 67/548/EEC Annex I.

Mutagenicity

None identified.

Reproductive Toxicity

Reproductive effects have been reported in animal studies.

Other Effects

None identified.

# **Section 12 Ecological Information**

Ecotoxicity

Fresh Water Species

Ethyl Alcohol CAS # 64-17-5

96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100

Isopropyl Alcohol CAS # 67-63-0

mg/L [flow-through] 96 Hr LC50 Pimephales promelas: 9640 mg/L [flow-through]; 96 Hr LC50 Pimephales

Hydrogen Peroxide CAS # 7722-84-1

promelas: 11130 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: >1400000 µg/L 96 Hr LC50 Pimephales promelas: 16.4 mg/L; 96 Hr LC50 Lepomis macrochirus: 18-56 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 10.0-32.0 mg/L [static]

**Microtox** 

No information available.

Section 12 Ecological Information (Continued)				
Water Flea				
Ethyl Alcohol CAS # 64-17-5	48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]			
Isopropyl Alcohol CAS # 67-63-0	48 Hr EC50 Daphnia magna: 13299 mg/L			
Hydrogen Peroxide CAS # 7722-84-1	24 Hr EC50 Daphnia magna: 7.7 mg/L; 48 Hr EC50 Daphnia magna: 18 - 32 mg/L [Static]			
Fresh Water Algae				
Isopropyl Alcohol CAS # 67-63-0	96 Hr EC50 Desmodesmus subspicatus: >1000 mg/L; 72 Hr EC50 Desmodesmus subspicatus: >1000 mg/L			
Hydrogen Peroxide CAS # 7722-84-1	72 Hr EC50 Chlorella vulgaris: 2.5 mg/L			
Biodegradability	No information available.			
Bioaccumulation	No information available.			
Mobility	No information available.			
Other Adverse Effects	No information available.			

Section 13 Disposal Considerations				
Waste Disposal	Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.			

Section 14 Transport Information				
Shipping Information	Shipping Name	Alcohols, n.o.s. (Ethanol, Isopropanol solution)		
	UN/ID Number	1987		
	Packing Group	II		
IATA	Hazard Class	3 Flammable Liquids		
	Subsidiary Risk	None		
	Special Provisions	A3		
	IATA ERG Code	3L		
IMDG	Hazard Class	3 Flammable liquids		
	Subsidiary Risk	None		
	Special Provisions	274		
	Marine Pollutant	No		
US DOT	Hazard Class	3 ORM-D Consumer Commodity		
	Subsidiary Risk	None		
	Special Provisions	173.150		
	NAERG Number	127		
European ADR	ADR Classification	3 Flammable Liquids		
	Classification Code	F1		

Page 18 of 19

Doc. ID: 64115-75 AJ

Section 14 Transport Information (Continued)			
177807A	Subsidiary Risk	None	
Canadian TDG	PIN	1987	
	TDG Classification	3 Flammable Liquids	
	Subsidiary Risk	None	
	Special Provisions	16	
	NAERG Number	127	

Section 15 Regulatory Information				
US Federal and State Regu	ulations			
SARA 313	Isopropyl Alcohol is subject to reporting requirements of Section 313, Title III of SARA.			
CERCLA RG's, 40 CFR 302.4	No ingredients listed.			
California Proposition 65	Ethyl Alcohol has been identified by the State of California to cause reproductive harm. The State of California has adopted a regulation which requires a warning be given to individual who may be exposed to chemicals identified by the State to cause cancer or reproductive harm. Accordingly, Beckman Coulter advises you of the following warning:  WARNING: This product contains a chemical known to the State of California to cause reproductive harm.			
Massachusetts MSL	Ethyl Alcohol is listed. Isopropyl Alcohol is listed. Hydrogen Peroxide is listed.			
New Jersey Dept. of Health RTK List	Ethyl Alcohol is listed. Isopropyl Alcohol is listed. Hydrogen Peroxide is listed.			
Pennsylvania RTK	Ethyl Alcohol is listed. Isopropyl Alcohol is listed. Hydrogen Peroxide is listed.			
EU Regulations				
Water Hazard Class (Germany)	WGK 1, low water endangering			
<u>Canada</u>				

This product is exempt from WHMIS label and SDS requirements.

1987

Ingredients on Ingredient

Disclosure List:

Ethyl Alcohol

Isopropyl Alcohol

Hydrogen Peroxide

Ingredients with unknown toxicological properties:

Product is exempt

Some hazardous ingredients listed in Section 15 are below OSHAs and WHMIS' 1.0% w/w (0.1% for carcinogens) or EU's ingredient specific concentrations required for reporting in Section 3.

Page 19 of 19 Doc. ID: 64115-75 AJ

Section 16 Other Information				
Beckman Coulter Safety Rating	Flammability (Section V): 3 Health (Section XI): 2 Reactivity with Water (Section X): 2 Contact (Section VIII): 2	Code 0=none 1=slight 2=caution 3=severe		
Revision Changes	Update of product hazard classification for EU.	WOODE STATE OF THE		
Hazard Class and Phrases Description From Section 3	C - Corrosive F - Highly flammable O - Oxidising Xi - Irritant R11 Highly flammable. R35 Causes severe burns. R20/22 Harmful by inhalation and if swallowed.			
	R36 Irritating to eyes. R67 Vapours may cause drowsiness and dizziness. R5 Heating may cause an explosion.			
	R8 Contact with combustible material may cause fire. B2 - Flammable and Combustible Material: Flammable Liquid C - Oxidizing Material			
	D2A - Poisonous and Infections Material: Division 2 - Other Toxic Effects: Very Toxic (Reproductive cell mutagenicity) D2B - Poisonous and Infectious Material: Division 2 - Other Toxic Effects: Toxic (Skin sensitization)			
	D2B - Poisonous and Infectious Material: Division 2 - Other Eye Irritation) E - Corrosive Material	Toxic Effects: Toxic (Skin or		
	Acute Tox. Inhal. 4 - Acute Toxicity Inhalation, Category 4 Acute Tox. Oral 4 - Acute Toxicity Oral, Category 4 Eye Dam. 1 - Eye Damage Category 1			
	Eye Irrit. 2A - Eye Irritation Category 2A Flam. Liq. 2 - Flammable Liquids, Category 2 Ox. Liq. 1 - Oxidizing Liquids Category 1			
	Skin Corr. 1A - Skin Corrosion Category 1A STOT SE 3 - Specific Target Organ Toxicity Single Exposure H225 Highly flammable liquid and vapour. H271 May cause fire or explosion; strong oxidiser.	e Category 3		
	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.			
	H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation.	·		
Water Hazard Class (Germany):	H336 May cause drowsiness or dizzlness.  WGK 1, slightly water endangering (self classification)			
This SDS complies with EC Reg	ulations 1907/2006 (REACH) and amendments.			
or returner information, please of	ontact your local Beckman Coulter representative.	į		

			. •
			·