

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date:12/06/2014

Supersedes:10/05/2011

Version:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form

: Mixture

Product name.

: HiFi Volcano Latent Print Powder, Indestructible White, 16 oz.

Product code

: BPP1916

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

: Latent fingerprint powder

1.3. Details of the supplier of the safety data sheet

SIRCHIE Finger Print Laboratories 100 Hunter Place 27596 Youngsville, NC - USA

T 919-554-2244; 800-356-7311 - F 919-554-2266; 800-899-8181

http://www.sirchie.com

1.4; Emergency telephone number

Emergency number

: 1.800.424.9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Carc. 2

H351

Label elements

HS-US labelingد

Hazard pictograms (GHS-US)



GHSC

GHS02

Signal word (GHS-US)

: Warning

Precautionary statements (GHS-US)

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear gloves, dust mask and safety glasses.

P308+P313 - IF exposed or concerned: Get medical advice/attention

P405 - Store locked up

2:3. Other hazards

Other hazards not contributing to the

: None under normal conditions

classification

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification (GHS-US)
titanium(fV) oxide	(CAS No.)13463-67-7	<= 90	Carc. 2, H351
zinc distearate	(CAS No.)557-05-1	<= 10	Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible). Suspected of causing cancer.

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Wash with

plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get

medical advice/attention. Specific treatment (see ... on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a

POISON CENTER or doctor/physician. Specific treatment (see ... on this label).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health

hazard

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5,1, Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand. Unsuitable extinguishing media : Do not use a heavy water stream. Water.

5.2. Special hazards arising from the substance or mixture

hazard : Flammable solid.

_xplosion hazard : May form flammable/explosive vapor-air mixture.

Reactivity : No data available.

5,3, Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Avoid (reject) fire-fighting water to enter environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away

from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable. Keep away from

any possible contact with water, because of violent reaction and possible flash fire.

: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and Precautions for safe handling

when leaving work. Provide good ventilation in process area to prevent formation of vapor. No naked lights. No smoking. Protect from moisture. Handle under inert gas. Obtain special instructions before use. Do not handle until all safety precautions have been read and

understood.

: Wash ... thoroughly after handling. Hygiene measures

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/...

: Keep only in the original container in a cool, well ventilated place away from : Keep container Storage conditions

closed when not in use. Heat sources. Direct sunlight. Keep in fireproof place. Store in a dry

place. Protect from moisture.

Incompatible products

: Strong bases, strong acids. Sources of ignition. Direct sunlight. Keep away from any possible contact with water, because Incompatible materials

of violent reaction and possible flash fire.

7.3. Specific end use(s)

No additional information available

SECTION 6. Exposure	controls/bersoligi brotection	
8.1. Control parameter	1	The state of the s
HiFi Volcano Latent Print	owder, Indestructible White, 16 oz.	
USA OSHA	OSHA PEL (TWA) (mg/m3)	0 μg/m³
JSA OSHA	OSHA PEL (Ceiling) (mg/m3)	15 mg/m³

8.2. Exposure controls

Personal protective equipment

: Gloves, Safety glasses, Dust formation: dust mask. Avoid all unnecessary exposure.



: Wear protective gloves. Hand protection

Eye protection Chemical goggles or safety glasses. Wear suitable protective clothing. Skin and body protection

Respiratory protection Wear approved mask.

When using, do not eat, drink or smoke. Other information

: No data available

No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ECTION 9: Physical and chemical properties

Physical state : Solid Appearance Powders. Color : White.

Odor odorless, characteristic.

Odor threshold No data available No data available pΗ Relative evaporation rate (butyl acetate=1) No data available Melting point No data available : No data available Freezing point Boiling point No data available Flash point : No data available

Self ignition temperature Decomposition temperature : No data available : No data available Flammability (solid, gas)

Vapor pressure No data available Relative vapor density at 20 °C : No data available

Solubility No data available Log Pow : No data available Log Kow No data available Viscosity, kinematic No data available

Viscosity, dynamic No data available plosive properties No data available : No data available Oxidizing properties

Explosive limits No data available

9.2. Other information No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

Relative density

10:2. Chemical stability

Stable under normal conditions. Not established. Flammable solid. May form flammable/explosive vapor-air mixture.

103. Possibility of hazardous reactions

In contact with water releases flammable gases which may ignite spontaneously.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating, Heat. Sparks.

10.5. Incompatible materials

strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified Acute toxicity

	iiFi Volcano Latent Print Powder, Indestructible White, 16 oz.								
L	LD50 oral rat	10 mg/kg							
	LD50 dermal rabbit	10 mg/kg							

Skin corrosion/irritation Not classified (Lack of data) Serious eye damage/irritation Not classified (Lack of data)

Respiratory or skin sensitization Not classified

Germ cell mutagenicity Not classifiedBased on available data, the classification criteria are not met

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Suspected of causing cancer (oral, dermal). (Lack of data) Carcinogenicity

HiFi Volcano Latent Print Powder, Indestructible White, 16 oz.

IARC group

: Not classified (Lack of data)Based on available data, the classification criteria are not met Reproductive toxicity

Specific target organ toxicity (single exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classifiedBased on available data, the classification criteria are not met

Aspiration hazard

: Not classifiedBased on available data, the classification criteria are not met

Potential Adverse human health effects and

: Toxic if swallowed.

symptoms

Symptoms/injuries after skin contact

: Causes skin irritation.

Symptoms/injuries after eye contact

Causes serious eye damage.

Symptoms/injuries after ingestion

Toxic if swallowed. Swallowing a small quantity of this material will result in serious health

hazard.

SECTION 12: Ecological information

12.1. Toxicity

: Dangerous for the environment. Ecology - general

HiFi Volcano Latent Print Powder, Indestructible White, 16 oz.

LC50 fish 2 1 mg/l

12.2. Persistence and degradability

HiF Volcano Latent Print Powder, Indestructible White, 16 oz.

Persistence and degradability Not established.

12:3. Bioaccumulative potential

HiFi Volcano Latent Print Powder Indestructible White 16 oz

Not established. Bioaccumulative potential

12.4. Mobility in soil

No additional information available

12.5. Other-adverse-effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

: Dispose in a safe manner in accordance with local/national regulations. Dispose of Waste disposal recommendations

contents/container to Dispose in a safe manner in accordance with local/national regulations..

Additional information

Clean up even minor leaks or spills if possible without unnecessary risk. Handle empty

containers with care because residual vapors are flammable.

Ecology - waste materials Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

UN-No.(DOT) DOT NA no.

: 1309

UN1309

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

.2. UN proper shipping name

DOT Proper Shipping Name

: Aluminum powder, coated Aluminum powder, coated

Department of Transportation (DOT) Hazard

Classes

Hazard labels (DOT)

: 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124

: 4.1 - Flammable solid



Packing group (DOT)

DOT Special Provisions (49 CFR 172.102)

: II - Medium Danger

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2,

13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).

IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.

IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with

a sift-proof and water-resistant liner.

T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

: 212

14.3. Additional information

Other information

: No supplementary information available.

Overland transport

Danger labels (ADR)

: 4.1 - Flammable solid 6.1 - Toxic substance



Transport by sea

DOT Vessel Stowage Location

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other

13 - Keep as dry as reasonably practicable, 39 - Stow "away from" liquid halogenated hydrocarbons,52 - Stow "separated from" acids,53 - Stow "separated from" alkaline compounds,74 - Stow "separated from" oxidizers,101 - Stow "separated from" iron oxide

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 15 kg

(49 CFR 173.27)

OT Quantity Limitations Cargo aircraft only (49 : 50 kg

'R 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available