

## Safety Data Sheet

Safety Data Sheet (in compliance with Regulation (EC)  
1907/2006, Regulation (EC) 1272/2008 and Regulation  
(EC) 453/2010)

Date Issued: 6 June 2009  
Document Number: AD31130MS  
Date Revised: 26 August 2011  
Revision Number: 3

### 1. PRODUCT IDENTIFICATION

Trade Name (as labeled):	Topex® 2% Neutral Sodium Fluoride
Chemical Name/Classification:	Mixture
Product Identifier (Part/Item Number):	AD31130, AD31131, AD31132, AD31165
U.N. Number:	None
U.N. Dangerous Goods Classification:	None
Recommended Use:	Topical fluoride treatment
Restrictions on Use:	Use only as directed
Manufacturer/Supplier Name:	Sultan Healthcare
Manufacturer/Supplier Address:	411 Hackensack Avenue, 9 <sup>th</sup> Floor Hackensack, NJ
Manufacturer/Supplier Telephone Number:	1-201-871-1232 or 800-637-8582 (Product Information)
Emergency Contact Telephone Number:	800-535-5053 (INFOTRAC) 1-352-323-3500 (Outside the United States – Call Collect)
Email address:	<a href="mailto:customer.service@sultanhc.com">customer.service@sultanhc.com</a>

### 2. HAZARD(S) IDENTIFICATION

EU Classification (1999/45/EC as amended): Not a dangerous preparation  
EU Labeling: None  
US Hazard Classification: Hazardous

### 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Components	C.A.S. # EC#	IUPAC Name	Substance Classification 67/548/EEC (EC) No 1272/2008	WT %
Sodium Fluoride	7681-49-4 / 231-667-8	Sodium Fluoride	T R25, R36/38, R32 Acute Tox. 3; H301 Eye Irrit. 2; H319 Skin Irrit. 2; H315	2.0
Titanium Dioxide	13463-67-7 / 236-675-5	dioxotitanium	Not classified as hazardous	Proprietary





Refer to Section 16 for the full text of the EU Classifications and R Phrases.

### 4. FIRST-AID MEASURES

Routes of Exposure	First Aid Instructions
Eye	Flush eyes with large quantities of water several minutes, holding the eyelids apart. Get medical attention if irritation develops or persists.
Skin	No first aid should be needed. Rinse off with water. Get medical attention if irritation develops.
Inhalation	None needed under normal use conditions.
Ingestion	If over normal dose is swallowed, DO NOT induce vomiting. Drink large quantities of water, milk or several ounces of milk of magnesia. Contact poison control.
Most important symptoms of exposure	May cause mild eye irritation. May be harmful if large amounts are swallowed.
Other	None known.
Note to Physicians (Treatment, Testing, and Monitoring): Treatment of overexposure should be directed at the control of symptoms and clinical conditions.	

### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Use media appropriate for surrounding fire.
Fire Fighting Procedures:	Cool fire exposed containers and structures with water.
Specific Hazards Arising from the Chemical:	None known.
Precautions for Fire Fighters:	Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for all fires involving chemicals.



Recommended Protective Equipment for Fire Fighters:			
EYES/FACE	SKIN	RESPIRATORY	THERMAL
			

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, PPE and Emergency Procedures:** For large spills, wear eye protection and gloves. Small spills do not require special precautions.

**Environmental Precautions:** Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.

**Methods and Materials for Containment and Clean-up:** Collect using an inert non-combustible absorbent material and place in appropriate containers for disposal.

Recommended Personal Protective Equipment for Containment and Clean-up:			
EYES/FACE	SKIN	RESPIRATORY	THERMAL
			

## 7. HANDLING AND STORAGE


**Precautions for Safe Handling:** Use in accordance with package instructions.

**Conditions for Safe Storage:** Avoid excessive cold and heat.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational Exposure Limits:

Sodium Fluoride (as Fluoride)	United States	2.5 mg/m <sup>3</sup> ACGIH TLV TWA
		2.5 mg/m <sup>3</sup> US OSHA PEL TWA
	Germany	1 mg/m <sup>3</sup> (Inhalable, skin) DFG MAK
	United Kingdom	2.5 mg/m <sup>3</sup> TWA UK OEL
	France	2 mg/m <sup>3</sup> INRS VME
	Spain	2.5 mg/m <sup>3</sup> VLA-ED

	Italy	2.5 mg/m3 8 hr Italy Value Limit	
	European Union	2.5 mg/m3 TWA EU IOEL	
Titanium Dioxide	United States	15 mg/m3 TWA US OSHA PEL (total dust) 10 mg/m3 TWA ACGIH TLV	
	Germany	1.5 mg/m3 (respirable dust) DFG MAK	
	United Kingdom	10 mg/m3 (inhalable) 4 mg/m3 (respirable dust) TWA UK WEL	
	France	10 mg/m3 INRS VME	
	Spain	10 mg/m3 VLA-ED	
	Italy	None Established	
	European Union	None Established	
<b>Biological Exposure Limits:</b> Sodium Fluoride (as fluorides) – Prior to shift 3 mg/g creatinine; End of shift 10 mg/g creatinine			
<b>Appropriate Engineering Controls:</b> No special controls required.			
<b>Individual Protection Measures (PPE)</b> Specific Eye/face Protection: Safety glasses should be worn if contact is likely. Specific Skin Protection: None normally required. Specific Respiratory Protection: None required under normal use conditions. Specific Thermal Hazards: Not applicable			
<b>Recommended Personal Protective Equipment:</b>			
EYES/FACE	SKIN	RESPIRATORY	THERMAL
			
<b>Environmental Exposure Controls:</b> None required for normal use.			
<b>General Hygiene Considerations and Work Practices:</b> Routine hand washing after use recommended.			
<b>Protective Measures During Repair and Maintenance of Contaminated Equipment:</b> Not applicable for product.			

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Aqueous gel	Explosive limits:	Not applicable
Odor:	Characteristic of flavor	Vapor pressure:	Not available
Odor threshold:	Not available	Vapor density:	Not available
pH:	6.1-7.1	Relative density:	Not available

<b>Melting/freezing point:</b>	Not available	<b>Solubility:</b>	Partially soluble
<b>Initial boiling point and range:</b>	Not available	<b>Partition coefficient: n-octanol/water:</b>	Not available
<b>Flash point:</b>	None	<b>Auto-ignition temperature:</b>	Not available
<b>Evaporation rate:</b>	Not available	<b>Decomposition temperature:</b>	Not available
<b>Flammability:</b>	Not flammable	<b>Viscosity:</b>	Not available
<b>Explosive Properties:</b>	None	<b>Oxidizing Properties:</b>	None

## 10. STABILITY AND REACTIVITY

**Reactivity:** Will not polymerize.

**Chemical Stability:** Stable.

**Possibility of Hazardous Reactions:** None known.

**Conditions to Avoid:** None known.

**Incompatible materials:** Avoid oxidizing agents.

**Hazardous Decomposition Products:** Thermal decomposition may produce carbon and sodium oxides and hydrogen fluoride.

## 11. TOXICOLOGICAL INFORMATION

### Potential Health Effects:

**Eyes:** Direct contact may cause mild irritation with redness and tearing.

**Skin:** No adverse effects are expected.

**Ingestion:** Swallowing may cause nausea, vomiting and diarrhea. Large doses of fluorides can bind with serum calcium resulting in hypocalcemia with toxic effects, including cardiac effects, due to electrolyte imbalance.

**Inhalation:** None expected from normal use.

**Chronic Health Effects:** Prolonged overexposure to sodium fluorides may cause fluorosis with symptoms of joint pain, limited mobility, brittle bones, calcification of ligaments, bone and teeth abnormalities and mottled tooth enamel.

**Carcinogenicity:** A 2-year study in rats found a weak, equivocal fluoride-related increase in the occurrence of osteosarcomas in male rats, and no evidence of carcinogenicity in female rats or male or female mice. The weight of the evidence indicates that fluoridation of water does not increase the risk of developing cancer. IARC has determined that the carcinogenicity of fluoride to humans is not classifiable. Titanium dioxide is listed by IARC as a group 2B carcinogen (possible human carcinogen).

**Mutagenicity:** Sodium fluoride was negative in the AMES test but was positive a mouse lymphoma cells assay. Sodium fluoride did not induce DNA strand breaks in testicular cells of rats treated in-vivo and did not cause chromosomal aberrations in bone marrow or testicular cells or sister chromatid exchanges in bone marrow cells of mice treated in-vivo.

**Medical Conditions Aggravated by Exposure:** Employees with pre-existing skin disorders may be at increased risk from exposure.

**Acute Toxicity Data:**

Sodium Fluoride: Oral Rat LD50 32 mg/kg

Titanium Dioxide: No toxicity data available

**Reproductive Toxicity Data:** Sodium Fluoride: In a 75 day reproductive study with rats with doses of 4.5 ppm and 9.0 ppm showed a significant decrease in sperm count, sperm motility, sperm viability and sperm function. However, other animal studies, including two-generation studies, have not found alterations in serum hormone levels in male rats, testicular histopathology, sperm morphology, or fertility. None of the available laboratory animal studies examined reproductive toxicity at low fluoride doses. The inadequate human studies and conflicting animal studies do not allow for an assessment of the potential of fluoride to induce reproductive effects in humans. Animal studies have not found increases in the incidences of birth defects in the absence of maternal toxicity; at doses that caused maternal toxicity (decreases in body weight gain and food consumption), increases in abnormalities were found.

**Specific Target Organ Toxicity (STOT):**

**Single Exposure:** Sodium Fluoride: In a human exposure study, adults were given 250 mg. Effects included nausea, vomiting, epigastric distress, salivation and itching of the hands and feet. In an acute study, dogs were infused with an acute dose of 36 mg/kg. Death occurred in less than 65 minutes. Principal effects included a decline in blood pressure, heart rate, central nervous system activity, vomiting and defecation.

**Repeated Exposure:** Sodium Fluoride: Brain, liver, kidney and muscles demonstrate significant changes in essential trace element levels in adult female mice given 30, 60 and 120 ppm sodium fluoride in drinking water. Rats exposed to sodium fluoride in drinking water for 2 months developed thyroid effects; LOAEL 0.5 mg/kg/day. Mice exposed to sodium fluoride in drinking water for 4 weeks showed increased bone formation. LOAEL 0.8 mg/kg/day.

## 12. ECOLOGICAL INFORMATION

**Toxicity:**

Sodium Fluoride: 96 hr LC50 *Oncorhynchus mykiss* (Rainbow trout) 83.7 mg/L, 48 hr EC50 *daphnia magna* 98 mg/L

**Persistence and Degradability:** Biodegradation is not applicable to inorganic substances such as sodium fluoride and titanium dioxide.

**Bio-accumulative Potential:** No data is available to evaluate the potential for bioaccumulation of components of this product.

**Mobility in Soil:** No data is available.

**Other Adverse Effects:** None known.

**Results of PBT/vPvB Assessment:** Not required.

## 13. DISPOSAL CONSIDERATIONS

**Regulations:** Dispose in accordance with local and national environmental regulations.

**Properties (Physical/Chemical) Affecting Disposal:** None known.

Waste Treatment Recommendations: None needed for normal anticipated use.

#### 14. TRANSPORT INFORMATION

UN-Number	ADR/RID: None	IMDG: None	IATA: None	DOT: None
UN proper shipping name	ADR/RID: Not Regulated			
	IMDG: Not Regulated			
	IATA: Not Regulated			
	DOT: Not Regulated			
Transport hazard class(es)	ADR/RID: None	IMDG: None	IATA: None	DOT: None
Packaging group	ADR/RID: None	IMDG: None	IATA: None	DOT: None
Environmental hazards	ADR/RID: No	IMDG Marine pollutant: No	IATA: No	DOT: No

Special precautions for user: Not applicable

#### 15. REGULATORY INFORMATION

##### U.S. Federal Regulations

**Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):** This product has an RQ of 50,000 lbs based on the RQ of sodium fluoride of 1,000 lbs present at 2.0%. Many other states have more stringent regulations. Report all spills in accordance with local, state, and federal regulations.

**Toxic Substances Control Act (TSCA):** This product is a drug and not subject to chemical notification requirements.

**OSHA Hazard Classification:** Carcinogen

**Clean Water Act (CWA):** Not Listed

**Clean Air Act (CAA):** Not Listed

**Superfund Amendments and Reauthorization Act (SARA) Title III Information:**

**SARA Section 311/312 (40 CFR 370) Hazard Categories:**

Immediate Hazard:	Yes	Pressure Hazard:	No
Delayed Hazard:	Yes	Reactivity Hazard:	No
Fire Hazard:	No		

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

Components	C.A.S. #	WT %
None		

### State Regulations

**California:** This product contains the following chemical(s) known to the State of California to cause cancer, birth defects or reproductive harm:

Components	C.A.S. #	WT %
None		

### International Regulations

**EU REACH:** This product is a medicinal product and not subject to registration requirements.

## 16. OTHER INFORMATION

Full text of Classification abbreviations used in Section 2 and 3:

T Toxic

R25 Toxic if swallowed.

R32 Contact with acids liberates very toxic gas.

R36/38 Irritating to eyes and skin.

Acute Tox. 3 Acute Toxicity Category 3

Skin Irrit. 2 Skin Irritation Category 2

Eye Irrit. 2 Eye Irritant Category 2

H301 Toxic if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Date of SDS Preparation/Revision: 26 August 2011

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau, ESIS, Country websites for occupational exposure limits.