

Centerfire Rifle and Pistol Ammunition

ared to OSHA GHS Standards

SDS Revision: 1.0

SDS Revision Date: 6/15/2015

		1. PRODUCT IDENTIFICATION
1.1	Product name:	HORNADY® Centerfire Rifle and Pistol Ammunition
1.2	Chemical Name	See Section 3 Composition and Ingredients
1.3	Synonyms	Cartridges, Small Arms Ammunition
1.4	Trade Names	Superformance®, Superformance® International, TAP® FPD™, TAP® Barrier™, TAP® Urban™, TAP Precision®, TAP® Training™, TAP®CQ™, Varmint Express™, Critical Defense®, Critical Defense® Lite™, Custom Interbond™, Custom™ SST®, Custom™ Rifle, Custom Lite™, Light Mag SST®, Light Mag Interbond™, Heavy Mag Interbond™, Custom™ Handgun, Danergous Game Series™, LEVERevolution®, Hornady® Match™(incl. 50 BMG), Steel Match™, Zombie MAX™, Critical Duty™, American Whitetail™, Vintage Match™, American Gunner™. Precision Hunter™.
1.5	Product Use	Firearm Ammunition
1.6	Manufacturer's Name	Hornady Manufacturing Company
1.7	Manufacturer's Address	P.O. Box 1848, Grand Island, Ne 68802 USA
1.8	Business Phone	+1 (308) 382-1390
1.9	Emergency Phone	CHEMTREC: +1 (800) 424-9300 / +1 (703) 527-3887
1.10	Prepared By	K.Hoover

### 2. HAZARD IDENTIFICATION

### 2.1 HAZARD CLASSIFCATION:

Explosive Hazard Division 1.4. Specific Target Organ Toxicity-Repeated Exposure Category 1. Reproductive Toxicity Category 1A. Carcinogenicity Category 2. Skin Sensitization Category 1A. Acute Toxicity (inhalation) Category 3.

#### SIGNAL WORD:

Danger

### **HAZARD STATEMENTS (H):**

H204- Fire or projection hazard. Exposure by inhalation or ingestion H372- Causes damage to liver, kidneys, central nervous system, through prolonged or repeated exposure; H360- May damage fertility or the unborn child; H351- Suspected of causing cancer

### PRECAUTIONARY STATEMENTS (P):

P210- Keep away from heat- No Smoking. P260- Do not breathe dust/fume. P264- Wash hands thoroughly after handling. P374-fight fire with normal precautions from a reasonable distance. P307+313- If exposed or concerned: Get medical advice/attention. P501- Dispose of contents in accordance of local/regional/national regulations.

Routes of Entry: Inhalation: Yes Absorption: No Ingestion: Yes

### **Pictogram**





Centerfire Rifle and Pistol Ammunition

SDS Revision: 1.0

SDS Revision Date: 6/15/2015

			3. Compos	sition &								
								S IN AIR				
					ACG	IH	NOH	SC (ES-	-)	OSHA		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TL V	ST	TW A	STE	PEA K	PEL	ST EL	IDLH (mg)
Aluminum	7429-90- 5	BD03300 00	231-072-3	0-3	5.0	N/ A	10	N/A	N/A	5.0	N/ A	N/A
Antimony	7440-36- 0	CC40250 00	231-146-5	0-2.5	0.5	N/ A	0.5	N/A	N/A	0.5	N/ A	50
Antimony Sulfide	7440-36- 0	CC40250 00	231-146-5	<1	0.5	N/ A	0.5	N/A	N/A	0.5	N/ A	N/A
Barium Nitrate	10022- 31-8	CQ96250 00	233-020-5	<1	0.5	N/ A	N/ A	N/A	N/A	0.5	N/ A	50
Copper	7440-50- 8	GL532500 0	231-159-6	5-60	1.0	N/ A	0.2	N/A	N/A	1.0	N/ A	100
Dibutyl Phthalate	84-74-2	TI087500 0	201-557-4	0-1.3	5.0	N/ A	5	N/A	N/A	5.0	N/ A	4000
2,4 Dinitrotoluene	121-14-2	XT157500 0	204-450-0	<1	N/ . A	N/ A	N/ A	N/A	N/A	1.5	N/ A	N/A
Diphenylamine	122-39-4	JJ780000 0	204-539-4	<1	N/ A	N/ A	10	N/A	N/A	N/A	N/ A	N/A
Lead	7439-92- 1	OF75250 00	231-100-4	5-50	0.0 5	N/ A	0.1 5	N/A	N/A	0.0	N/ A	100
Lead Stypnate	12409- 82-6	N/A	N/A	<1	0.0 5	N/ A	0.1 5	N/A	N/A	0.0	N/ A	100
vickel	7440-02- 0	QR59500 00	231-111-4	<1	N/ A	N/ A	1.0	N/A	N/A	1.0	N/ A	10
Nitrocellulose	9004-70- 0	N/A	N/A	5-20	N/ A	N/ A	N/ A	N/A	N/A	N/A	N/ A	N/A
Nitroglycerin	55-63-0	QX21000 00	N/A	0-2.5	0.4 6	N/ A	0.4 6	N/A	N/A	N/A	0.2	75
PETN	78-11-5	N/A	201-084-3	0-<1	N/ A	N/ A	N/ A	N/A	N/A	N/A	N/ A	N/A
Tetracene	109-27-3	N/A	203-659-4	0-<1	N/ A	N/ A	N/ A	N/A	N/A	N/A	N/ A	N/A
linc	7440-66- 6	N/A	231-175-3	<1- 20	N/ A	N/ A	N/ A	N/A	N/A	15	N/ A	500
OTHER COMPONENTS PRESENT IN LESS THAN 1% CONCENTRATION					THE REMAINING COMPONENTS DO NOT CONTRUBUTE ANY SIGNIFICANT ADDITIONAL HAZARDS							

4. FIRST AID



Centerfire Rifle and Pistol Ammunition

SDS Revision: 1.0

SDS Revision Date: 6/15/2015

#### +.1 | EYES:

Immediately flush out fume or particles with large amounts of water for at least 15 minutes. If irritation develops, call physician.

#### SKIN:

Wash affected skin thoroughly with soap and water.

#### INGESTION:

If ingested, call physician immediately.

#### INHALATION:

If signs of lung irritation occur, remove victim to fresh air immediately. If respiration has stopped administer CPR and get medical attention immediately.

#### MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

Fragments from fired ammunition can cause physical injury. When ammunition is fired or otherwise discharged, dust and/or fumes may be absorbed by the digestive system and can result in both acute and chronic overexposure. Symptoms may include gastrointestinal irritation, nausea, vomiting and diarrhea. High concentrations of dust and/or fumes may irritate throat and respiratory system and cause coughing. Symptoms of chronic exposure to lead include anemia, visual and hearing disturbances, headache, memory loss, fatigue, muscle weakness, tremors, and convulsions. Ingestion of ammunition can cause irritation to the digestive system, and possibly other unknown health effects. A drop in blood pressure, headache, cyanosis and mental confusion may result from nitroglycerin in the product.

### 4.2 Medical Conditions Aggravated by Exposure:

Repeated or prolonged exposure may aggravate and existing dermatitis condition.

### 5. FIRE & EXPLOSION HAZARDS

5.1 | Flashpoint & Method:

N/A

5.2 Autoignition Temperature:

160°C-180°C (320°F- 360°F)

5.3 Flammability Limits:

Lower Explosive Limit(LEL):

Upper Explosive Limit (UEL):

5.4 Fire & Explosion Hazards:

Not considered flammable but may burn at high temperatures. Explosive. The effects are largely confined to the package and no projection fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package. Do not expose to heat or ignition sources as this could cause an explosion. If heated above 200 °C (392 °F) may explode.

5.5 Extinguishing Methods:

Fight fire with normal precautions from a reasonable distance.

5.6 | Firefighting Procedures:

Do not breathe fumes from fires or vapors from decomposition. Exercise caution when fighting any chemical fire. If product is unconfined, there is a greater risk for injury from projectiles. Flood area with water to cool exposed product and extinguish fire.

### 6. ACCIDENTAL RELEASE MEASURES

6.1 | Spills:

Spills will not normally require emergency response. Do not expose product to mechanical shock, electrical shock or impact. Spilled product can be pickup up by any non-spark, non-impact tools/methods. If spill is large or other assistance is required, call 800-338-3220 or CHEMTREC at 800-424-9300. If cartridges are damaged or ruptured be very careful to avoid all sources of ignition.

Centerfire Rifle and Pistol Ammunition

SDS Revision: 1.0

		7. STORAGE & HANDLING					
7.1	Precautions for Safe Handling: Avoid striking the primer. Ammunition should stay in the manufacturer packaging while transferring. Remove ammunition from service if any of the following conditions have occurred: corrosion, physical damage, exposure to oil or spray type lubricants.						
7.2	Storage & Handling: Store in a cool and dry mechanical shock and o	location. Do not expose to excessive heat, flame or other sources of ignition. Avoid electrical discharge.					
		8. EXPOSURE CONTROL & PERSONAL PROTECTION					
8.1	Ventilation & Engineeri Use proper range filtrat	ng Controls: tion and airflow as well as sound deadening material for indoor firing.					
8.2	Respiratory Protection: Not normally needed. Unless exposure exceeds established occupational exposure limits, then a NIOSH-approved respirator or self-contained breathing apparatus should be used.						
8.3	Eye Protection:						
0.4	Safety glasses. Hand Protection:						
8.4	None.						
8.5	Body Protection:						
		after use and before eating, drinking, or using tabacco.					
٩.6	Hearing Protection:						
8.7		protection when using firearms					
	Notes: FIRED PROJECTILES MAY CAUSE SERIOUS INJURY OR DEATH. Use ammunition ONLY in firearms that are of the correct caliber and in good condition. ALWAYS keep the muzzle pointed in a safe direction. Projectiles have extremely long range, always be certain to have an adequate backstop. To avoid ricochet, do not fire at water, rocks or other hard or flat surfaces.						
		9. PHYSICAL & CHEMICAL PROPERTIES					
9.1	Density:	N/A					
9.2	Boiling Point:	N/A					
9.3	Melting Point:	N/A					
9.4	Evaporation Rate:	N/A					
9.5	Vapor Pressure @ 20 °C:	N/A					
9.6	Molecular Weight:	N/A					
9.7	Appearance & Color:	N/A					
9.8	Odor Threshold:	N/A					
9.9	Solubility:	Insoluble					
9.1	pH:	N/A					
9.1	Viscosity:	N/A					
9.1	Coefficient oil/water Distribution:	N/A					
' <sup>-</sup> 1	Additional	N/A					
3	Information:						

Centerfire Rifle and Pistol Ammunition

SDS Revision: 1.0

. 0.1	Stability: Stable under normal conditions.								
10.2	Decomposition Products: Lead oxides, lead fume, lead dust, carbon monoxide, nitrogen oxides								
10.3	Polymerization: Will not occur.								
10.4	Conditions to Avo Mechanical shock,		al discharge, extrem	e heat.					
10.5	Incompatible Subs Acids, caustics, st		idizers						
	11. TOXICOLOGICAL INFORMATION								
111	Tovicity Date:		11. T	OXICULUGICA	L INFURMATION				
11.1	Toxicity Data: LD50 and LC50								
	Lead:	LD50 (oral)	N/A	LC50 (inhalation)	N/A	IDLH	100mg/m³		
	Antimony:	LD50 (oral)	7 g/kg (rat)	LC50 (inhalation)	N/A	IDLH	50mg/m³		
	Barium:	LD50 (oral)	187mg/kg (rat)	LC50 (inhalation)	N/A	IDLH	50mg/m³		
	Copper:	LD50 (oral)	1,000mg/m³	LC50 (inhalation)	>2,000mg/m³	IDLH	100mg/m³		
	Dibutylphthalate	LD50 (oral)	3,474mg/kg (mouse)	LC50 (inhalation)	25mg/m³ (2H) (mouse)	IDLH	9,300mg/m³		
	Nitrocellulose	LD50 (oral)	>5g/kg	LC50 (inhalation)	N/A	IDLH	N/A		
	Nitroglycerine	LD50 (oral)	1,607mg/kg (rabbit)	LC50 (inhalation)	N/A	IDLH	75mg/m³		
	Zinc	LD50 (oral)	7,950mg/kg (mouse)	LC50 (inhalation)	2,500mg/m³ (mouse)	IDLH	500mg/m <sup>3</sup>		
11.2	Acute Toxicity: See section 2.1								
11.3	Chronic Toxicity:								
. , , 5	See section 2.1								
11.4	Suspected Carcino								
				te of California to	cause cancer, birth	defects or	r other reproductive		
11.5	harm may be pres Reproductive Toxi		ns product.						
11.3	Mutagenicity:		his product is not ex	xpected to cause	mutagenic effects in	n humans.	Mutagenic effects		
			ave occurred in expe						
	Embryotoxicity:		<u>.</u>		embryotoxic effects				
	Teratogenicity:	h	ave occurred in expe	erimental animals			. Teratogenic effects		
	Reproductive Toxi		his product is expec	ted to cause rep	roductive harm in hu	mans.			
1.6	Irritancy of Produc								
11.7	Biological Exposure Indices: NA								

Centerfire Rifle and Pistol Ammunition

SDS Revision: 1.0

Centerfire Rifle and Pistol Ammunition

SDS Revision: 1.0

	EmC No (Cailloca)	S-X						
14.4	EmS- No. (Spillage):							
14.4	TDGR (Canadian GND):							
	Proper Shipping	Cartridges, Small Arms						
	Name:	out triages, ornait 74710						
	Hazard Class:	1.4S						
	ID Number:	UN 0012						
	Packing Group:							
	Label Statement:	1.4\$						
14.5	ADR/RID (EU):							
	Proper Shipping Name:	Cartridges, Small Arms						
1	Hazard Class:	1.4S						
	ID Number:	UN 0012						
	Packing Group: Label Statement:	1.4\$						
	Label Statement:	1.45						
		15, REGULATORY INFORMATION						
15.1	SARA Reporting Rec							
150	Nitroglycerin if abov							
15.2	SARA Threshold Plan	nning Quantity:						
5.3	TSCA Inventory Sta	buer						
. ,,,,		nces of this product are listed on the TSCA inventory or are otherwise exempt from inventory						
1	status.	idea of this product are nated on the fact inventory of are otherwise exempt from inventory						
15.4	CERCLA Reportable	Quantity (RQ):						
	-							
	Lead:	10 lbs						
	Copper:	5,000 lbs						
] .	Antimony:	5,000 lbs						
	Dibutyl Phthalate:	10 lbs						
	2,4 Dinitrotoluene:	10 lbs						
	Nickel:	100 lbs						
	Nitroglycerin:	10 lbs						
1	Zinc:	1,000 lbs						
15.5	311/312:							
15.0	Release of Pressure							
15.6	California Propositio	n 65: ate)- Warning- This product may contain a chemical known to the State of California to cause						
		cts or other reproductive harm.						
15.7	State Regulatory Inf	<u> </u>						
_								
	California:	Dibutyl Phthalate						
	Massachusetts:	Copper, Dibutyl Phthalate, Lead, Nitrocellulose, Nitroglycerin, Antimony, Zinc						
		Copper, Lead, Antimony, Zinc						
	Minnesota:	Dibutyl Phthalate						
		Copper. Dibutyl Phthalate, Lead, Nitrocellulose, Nitroglycerin, Antimony, Zinc						
ĺ	Pennsylvania:	Copper, Dibutyl Phthalate, Lead, Nitrocellulose, Nitroglycerin, Antimony						



Centerfire Rifle and Pistol Ammunition

SDS Revision: 1.0

SDS Revision Date: 6/15/2015

. 5.8 67/548/EEC (European Union) and CLP/GHS (1272/2008/EC) Requirements:

### Hazard Classification:

Cartridges, Small Arms

### Signal Word

information

Warning

#### **Hazard Statements (H):**

H204- Fire or projection hazard.

### Precautionary Statements (P):

P210- Keep away from heat/sparks/open flames/hot surfaces- No smoking.

	16. OTHER INFORMATION
16.1	Other Information:
ĺ	Hazardous Material Information System (HMIS)
	Health-1
	Fire-0
	Reactivity-2
	PPE-A
16.2	Disclaimer:
,	This Safety Data Sheet complies with Health Canada's Workplace Hazardous Information System (WHIMS) & U.S.
,	OSHA's Hazard Communication Standard 29 CFR 1910.1200. To the best of Hornady Manufacturing Company's
ĺ	knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability
	or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The
	information contained herein relates only to the specific product. Contact the manufacturer for additional