

Safety Data Sheet PORTRAIT II

કાનમાં ભાગમાં હાં હોયો છે.

Trade Name:

PORTRAIT II

Product Identification:

6594

Synonyms:

Polymer emulsion

Product Use Description:

Floor finish

General Info Phone: (800) 795-9222 Emergency Phone: (800) 535-5053

Supplier:

ABC Compounding Co., Inc. 6970 JONESBORO RD Morrow, GA 30260

विभागात १ विषयमा है विभाग १ विषय

Classifications -

This material is not considered hazardous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Signal Word:

No Signal Word

Hazard Statements Not applicable Precautionary Statements Prevention Not applicable

Storage Not applicable

Hazards Not Otherwise Specified Not applicable

Stadion 3 Compression

Chemical Name

CAS#

Concentration % by Weight

Diethylene Glycol Ethyl Ether

111-90-0

>=1 <= 5

Dipropylene Glycol Methyl Ether

34590-94-8

>=1 <= 5

Trade Name: PORTRAIT II SDS(D: SDS0)398



Safety Data Sheet PORTRAIT II

EMERGENCY OVERVIEW

CAUTION. May be harmful if swallowed. May irritate eyes and skin.

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

SKIN: Wash with plenty of soap and water.

INHALATION: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel

INGESTION: May be harmful if swallowed. Seek medical attention immediately.

Stationals Larendin Inflation (New York)

Sultable fire extinguishing media:

Use water spray, fog or loam.

Specific hazards arising from the chemical:

Containers may build pressure and rupture.

Hazardous thermal decomposition products:

Carbon Dioxide, Carbon Monoxide

ecific fire-fighting methods:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire fighters:

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

િલ્લામાં જ જલાવેલામાં સ્થિતિક કરવી પહિલ્લામાં ઉ

Personal precautions:

Put on appropriate personal protective equipment (see section 8)

Environmental precautions and clean-up methods:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer containinated absorbent, soil and other materials to containers for disposal.

Sedicia 7 ilkindhing endistrices:

Do not use or store near heat, sparks or open flame. Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Keep out of reach of children.

ention : Exposine Controls/Personal Protection

Diethylene Glycol Ethyl Ether

ACGIH TLV

TEOLARIES STEELER STEEL STEELER STEELE

25 ppm

Tara Salaharan

Kevislon# 1

Revision Date: 05282015



Safety Data Sheet PORTRAIT II

OSHA PEL

25 ppm

Eye Protection: Wear safety glasses or goggles.

Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

Respiratory Protection: No special requirements are needed for this material.

Engineering Controls: Good general ventilation required.

Scaling XXXIVAICE PARTS IN STREET BY CONTRACT

Property	<u>Value</u>		
Appearance	EMULSION	Auto Ignition Temp	NOT AVAILABLE
Boiling Point	NOT AVAILABLE	Color	WHITE
Decomposition Temperature	NOT AVAILABLE	Evaporation Rate	NOT AVAILABLE
Explosive Limit Ranges	NOT AVAILABLE	Explosive Properties	NOT AVAILABLE
Flash Point	NONE	Melting/Freezing Point	NOT AVAILABLE
Odor	CHARACTERISTIC	Odor Threshold	NOT AVAILABLE
Other Information	VOC content (wt. %); 0	Oxidizing Properties	NOT AVAILABLE
Partition Coeff	NOT AVAILABLE	Physical State	LIQUID
Relative Density	1.04	Solubility (Water)	COMPLETE
Vapor Density	NOT AVAILABLE	Vapor Pressure	NOT AVAILABLE
Viscosity	NOT AVAILABLE	Ha	8-9

diskienski skishikasuga enimisish

Reactivity:

Under normal conditions of storage and use, hazardous reactions will not occur.

Chemical Stability:

Stable under normal conditions.

Incompatible Materials :

Acids and strong oxidizers

Conditions to Avoid:

High temperatures

Decomposition Products:

CO, CO2

े दिसी (७) इति है । इते ३ (१० विकास सिन् १० विकास सिन्

Primary Route of Entry: Skin contact

Acute/Potential Health Effects:

EYES: May cause eye irritation. Symptoms include stinging, tearing and redness.

SKIN: May cause skin irritation.

INHALATION: High vapor concentrations may be irritating to respiratory tract,

INGESTION: May cause headache, dizziness, incoordination, nausea, vomiting, diarrhea and general weakness.

Chronic / Long Term Effects: None known.

Target Organ Effects: None known.

Reproductive/Developmental Information: No data.

Carcinogenic Information: This material is not listed as a carcinogen by IARC, NTP or OSHA.

Acute Toxicity Values:

Not available.



Safety Data Sheet PORTRAIT II

जिल्लाहरू होता है। जिल्लाहरू है जिल्लाहरू है जिल्लाहरू है जिल्लाहरू है जिल्लाहरू है जिल्लाहरू है जिल्लाहरू है

Not available

នាហានដៅជាព្រះបានដែលនៅមាន

Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further instructions.

Scalifora (14: Tháis glas air de leo contaitife in t

Not regulated

and the contract of the contra

Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (40 CFR 372.65) Diethylene Glycol Ethyl Ether

If identified components of this product are CERCLA hazardous substances and/or listed under Sections 302, 304, or 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency Planning and Community Right-To-Know Act), or under California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act), they are listed above in Section 15 of this SDS.

dentified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section 313. This information must be included in all SDS that are copied and distributed for this material.

Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic () Fire () Pressure () Reactive () Not Applicable ()


T.S.C.A. Status: All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

RCRA Status: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material 🗽 containing the product or derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s)

None

Sicialitator (18, (Ollocal Matter Constant Allestor

HMIS Ratings:





Safety Data Sheet PORTRAIT II

Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

Preparation/Revision Date: 5/2

5/26/15

