



Safety Data Sheet

Copyright, 2014, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This product is defined as an article under REACH and does not require a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006. Since an SDS is not required, this document does not contain all of the information that is required for substance and mixture SDSs under REACH.

Document group:	11-3029-3	Version number:	2.00
Revision date:	30/06/2014	Supersedes date:	22/03/2011
Transportation version number:	1.00 (22/03/2011)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M™ Comply™ Steam Indicator Tape (1201, 1222, 1223, 1255)

Product Identification Numbers

CT-0606-0187-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

To hold packs and indicate conditions for steam sterilization.

1.3. Details of the supplier of the substance or mixture

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.
Telephone: +44 (0)1344 858 000
E Mail: tox.uk@mmm.com
Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is exempt from hazard classification according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

3M™ Comply™ Steam Indicator Tape (1201, 1222, 1223, 1255)

This product is considered an article and is exempt from hazard classification.

2.2. Label elements**CLP REGULATION (EC) No 1272/2008**

Not applicable

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Not applicable

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Cellulose	9004-34-6	EINECS 232-674-9	35 - 40	
Natural Rubber Saturant	Trade Secret		20 - 26	
Polyisoprene	9003-31-0		20 - 24	
Butylated urea - formaldehyde resin	68002-19-7		1 - 7	
alpha-Pinene - beta-pinene - dipentene - beta-phellandrene polymer	68240-09-5		2 - 4	
Trilead bis(carbonate) dihydroxide	1319-46-6	EINECS 215-290-6	<= 0.7	Repr.Cat.1:R61; Repr.Cat.3:R62; Xn:R20-22; N:R50/53; R33 - Nota 1,A,E (EU) Acute Tox. 4, H332; Acute Tox. 4, H302; Repr. 1A, H360Df; STOT RE 2, H373; Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1 - Nota 1,A (CLP)
Ethanol	64-17-5	EINECS 200-578-6	<= 0.5	F:R11 (EU) Flam. Liq. 2, H225 (CLP)
Formaldehyde	50-00-0	EINECS 200-001-8	<= 0.070	Carc.Cat.3:R40; T:R23-24-25; C:R34; R43 - Nota B,D (EU) R52 (Self Classified) Acute Tox. 2, H330; Acute Tox. 3, H311; Acute Tox. 3, H301; Skin Corr. 1B, H314; Skin Sens. 1A, H317; Carc. 2, H351; STOT SE 3, H335 - Nota B,D (CLP)

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation**

3M™ Comply™ Steam Indicator Tape (1201, 1222, 1223, 1255)

No need for first aid is anticipated.

Skin contact

No need for first aid is anticipated. If signs/symptoms persist, get medical attention.

Eye contact

No need for first aid is anticipated.

If swallowed

No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

6.2. Environmental precautions

Not applicable.

6.3. Methods and material for containment and cleaning up

Sweep up. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin contact with hot material. For industrial or professional use only.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Lead compounds, except Alkyl lead compounds	1319-46-6	Health and Safety Comm. (UK)	TWA(as Pb):0.15 mg/m ³	
Formaldehyde	50-00-0	Health and Safety Comm. (UK)	TWA:2.5 mg/m ³ (2 ppm); STEL:2.5 mg/m ³ (2 ppm)	
Ethanol	64-17-5	Health and Safety Comm. (UK)	TWA:1920 mg/m ³ (1000 ppm)	
Cellulose	9004-34-6	Health and Safety Comm. (UK)	TWA (as inhalable dust): 10 mg/m ³ ; TWA (as respirable dust): 4 mg/m ³ ; STEL (as inhalable dust): 20 mg/m ³	

Health and Safety Comm. (UK) : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Not applicable.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Eye protection not required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

Thermal hazards

Wear heat insulating gloves when handling hot material to prevent thermal burns.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Roll of Tape.

3M™ Comply™ Steam Indicator Tape (1201, 1222, 1223, 1255)

Appearance/Odour	Printed paper or tape, white, beige or blue.
Odour threshold	<i>Not applicable.</i>
pH	<i>Not applicable.</i>
Boiling point/boiling range	<i>No data available.</i>
Melting point	<i>No data available.</i>
Flammability (solid, gas)	Not classified
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	<i>Not applicable.</i>
Autoignition temperature	<i>No data available.</i>
Flammable Limits(LEL)	<i>Not applicable.</i>
Flammable Limits(UEL)	<i>Not applicable.</i>
Vapour pressure	<i>Not applicable.</i>
Relative density	<i>Not applicable.</i>
Water solubility	<i>Not applicable.</i>
Solubility- non-water	<i>Not applicable.</i>
Partition coefficient: n-octanol/water	<i>Not applicable.</i>
Evaporation rate	<i>Not applicable.</i>
Vapour density	<i>Not applicable.</i>
Decomposition temperature	<i>Not applicable.</i>
Viscosity	<i>Not applicable.</i>
Density	<i>Not applicable.</i>

9.2. Other information

Volatile organic compounds (VOC)	<i>Not applicable.</i>
Percent volatile	<i>Not applicable.</i>
VOC less H ₂ O & exempt solvents	<i>No data available.</i>

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
Formaldehyde	At elevated temperatures.
Carbon monoxide.	Oxidation, heat or reaction
Carbon dioxide.	Oxidation, heat or reaction

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No health effects are expected.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Physical Blockage: Signs/symptoms may include cramping, abdominal pain, and constipation.

Additional information:

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Cellulose	Dermal	Rabbit	LD50 > 2,000 mg/kg
Cellulose	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 5.8 mg/l
Cellulose	Ingestion	Rat	LD50 > 5,000 mg/kg
Polyisoprene	Dermal		LD50 estimated to be > 5,000 mg/kg
Polyisoprene	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
alpha-Pinene - beta-pinene - dipentene - beta-phellandrene polymer	Dermal		LD50 estimated to be > 5,000 mg/kg
alpha-Pinene - beta-pinene - dipentene - beta-phellandrene polymer	Ingestion	Rat	LD50 > 2,000 mg/kg
Butylated urea - formaldehyde resin	Dermal	Rabbit	LD50 > 5,000 mg/kg
Butylated urea - formaldehyde resin	Ingestion	Rat	LD50 > 5,000 mg/kg
Trilead bis(carbonate) dihydroxide	Inhalation-Dust/Mist (4 hours)		LC50 > 5.05 mg/l
Trilead bis(carbonate) dihydroxide	Dermal	Rat	LD50 > 2,000 mg/kg
Trilead bis(carbonate) dihydroxide	Ingestion	Rat	LD50 > 2,000 mg/kg
Ethanol	Dermal	Rabbit	LD50 > 15,800 mg/kg
Ethanol	Inhalation-Vapor (4 hours)	Rat	LC50 124.7 mg/l
Ethanol	Ingestion	Rat	LD50 17,800 mg/kg
Formaldehyde	Dermal	Rabbit	LD50 270 mg/kg

3M™ Comply™ Steam Indicator Tape (1201, 1222, 1223, 1255)

Formaldehyde	Inhalation-Gas (4 hours)	Rat	LC50 470 ppm
Formaldehyde	Ingestion	Rat	LD50 800 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Cellulose	Not available	No significant irritation
Polyisoprene		No significant irritation
Ethanol	Rabbit	No significant irritation
Formaldehyde	official classification	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
Cellulose	Not available	No significant irritation
Polyisoprene		No significant irritation
Ethanol	Rabbit	Moderate irritant
Formaldehyde	official classification	Corrosive

Skin Sensitisation

Name	Species	Value
Polyisoprene	Human	Not sensitizing
Ethanol	Human	Some positive data exist, but the data are not sufficient for classification
Formaldehyde	Guinea pig	Sensitising

Respiratory Sensitisation

Name	Species	Value
Formaldehyde	Human	Some positive data exist, but the data are not sufficient for classification

Germ Cell Mutagenicity

Name	Route	Value
Ethanol	In Vitro	Some positive data exist, but the data are not sufficient for classification
Ethanol	In vivo	Some positive data exist, but the data are not sufficient for classification
Formaldehyde	In Vitro	Some positive data exist, but the data are not sufficient for classification
Formaldehyde	In vivo	Mutagenic

Carcinogenicity

Name	Route	Species	Value
Ethanol	Ingestion	Multiple animal species	Some positive data exist, but the data are not sufficient for classification
Formaldehyde	Not specified.	Human and animal	Carcinogenic.

Reproductive Toxicity**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Ethanol	Inhalation	Not toxic to development	Rat	NOAEL 38	during

3M™ Comply™ Steam Indicator Tape (1201, 1222, 1223, 1255)

Ethanol	Ingestion	Some positive developmental data exist, but the data are not sufficient for classification	Rat	mg/l NOAEL 5,200 mg/kg/day	gestation premating & during gestation
Formaldehyde	Ingestion	Some positive male reproductive data exist, but the data are not sufficient for classification	Rat	NOAEL 100 mg/kg	not applicable
Formaldehyde	Inhalation	Some positive developmental data exist, but the data are not sufficient for classification	Rat	NOAEL 10 ppm	during gestation

Target Organ(s)
Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethanol	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	LOAEL 2.6 mg/l	30 minutes
Ethanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	LOAEL 9.4 mg/l	not available
Ethanol	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Multiple animal species	NOAEL not available	
Ethanol	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Dog	NOAEL 3,000 mg/kg	
Formaldehyde	Inhalation	respiratory system	Causes damage to organs	Rat	LOAEL 128 ppm	6 hours
Formaldehyde	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethanol	Inhalation	liver	Some positive data exist, but the data are not sufficient for classification	Rabbit	LOAEL 124 mg/l	365 days
Ethanol	Inhalation	hematopoietic system immune system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 25 mg/l	14 days
Ethanol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 8,000 mg/kg/day	4 months
Ethanol	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Dog	NOAEL 3,000 mg/kg/day	7 days
Formaldehyde	Dermal	respiratory system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 80 mg/kg/day	60 weeks
Formaldehyde	Inhalation	respiratory system	Causes damage to organs through prolonged or repeated exposure	Rat	NOAEL 0.3 ppm	28 months
Formaldehyde	Inhalation	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 20 ppm	13 weeks
Formaldehyde	Inhalation	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 15 ppm	3 weeks
Formaldehyde	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 10 ppm	13 weeks
Formaldehyde	Inhalation	endocrine system immune system muscles kidney and/or bladder	All data are negative	Rat	NOAEL 15 ppm	28 months
Formaldehyde	Inhalation	eyes vascular	All data are negative	Rat	NOAEL 14.3	2 years

3M™ Comply™ Steam Indicator Tape (1201, 1222, 1223, 1255)

		system			ppm	
Formaldehyde	Inhalation	heart	All data are negative	Mouse	NOAEL 14.3 ppm	2 years
Formaldehyde	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 300 mg/kg/day	2 years
Formaldehyde	Ingestion	immune system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 20 mg/kg/day	4 weeks
Formaldehyde	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 15 mg/kg/day	24 months
Formaldehyde	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 109 mg/kg/day	2 years
Formaldehyde	Ingestion	heart endocrine system hematopoietic system respiratory system vascular system	All data are negative	Rat	NOAEL 300 mg/kg/day	2 years
Formaldehyde	Ingestion	skin muscles eyes	All data are negative	Rat	NOAEL 109 mg/kg/day	2 years

Aspiration Hazard

Name	Value
------	-------

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.
No component test data available.

12.2. Persistence and degradability

No test data available.

12.3 : Bioaccumulative potential

No test data available.

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

3M™ Comply™ Steam Indicator Tape (1201, 1222, 1223, 1255)

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Dispose of waste product in a permitted industrial waste facility.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

180103* Wastes whose collection and disposal is subject to special requirements in order to prevent infection

SECTION 14: Transportation information

CT-0606-0187-0

Not hazardous for transportation

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

<u>Ingredient</u>	<u>CAS Nbr</u>	<u>Classification</u>	<u>Regulation</u>
Formaldehyde	50-00-0	Carc. 2	Regulation (EC) No. 1272/2008, Table 3.1
Formaldehyde	50-00-0	Carc.Cat.3	Regulation (EC) No. 1272/2008, Table 3.2
Formaldehyde	50-00-0	Grp. 1: Carcinogenic to humans	International Agency for Research on Cancer

Global inventory status

Contact 3M for more information. The components of this product are in compliance with the new substance notification requirements of CEPA.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

H351	Suspected of causing cancer.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

List of relevant R-phrases

R11	Highly flammable.
R20	Harmful by inhalation.
R22	Harmful if swallowed.
R23	Toxic by inhalation.
R24	Toxic in contact with skin.
R25	Toxic if swallowed.
R33	Danger of cumulative effects.
R34	Causes burns.
R40	Limited evidence of a carcinogenic effect.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.
R52	Harmful to aquatic organisms.
R61	May cause harm to the unborn child.
R62	Possible risk of impaired fertility.

Revision information:

Revision Changes:

Section 9: pH information information was modified.
Section 16: UK disclaimer information was modified.
Section 1: Product identification numbers heading information was modified.
Section 1: Product identification numbers information was modified.
Section 9: Evaporation Rate information information was modified.
Section 9: Viscosity information information was modified.
Section 15: Carcinogenicity information information was modified.
Section 16: List of relevant R phrase information information was modified.
Section 3: Composition/ Information of ingredients table information was modified.
Section 9: n-octanol/water coefficient information information was modified.
Section 9: Boiling point information information was modified.
Section 9: Relative density information information was modified.
Section 9: Solubility in water value information was modified.
Section 12: Contact manufacturer for more detail. information was modified.
Section 13: EU waste code (product as sold) information information was modified.
Section 1: Address information was modified.
Copyright information was modified.
Section 9: Flash point information information was modified.
Section 9: Melting point information information was modified.
Section 9: Flammable limits (LEL) information information was modified.
Section 9: Flammable limits (UEL) information information was modified.
Section 9: Vapour density value information was modified.
Section 9: Vapour pressure value information was modified.
Section 9: Density information information was modified.
Section 9: Property description for optional properties information was modified.
Section 8: Occupational exposure limit table information was modified.
Section 11: Acute Toxicity table information was modified.
Section 11: Carcinogenicity Table information was modified.
Section 11: Serious Eye Damage/Irritation Table information was modified.
Section 11: Germ Cell Mutagenicity Table information was modified.
Section 11: Skin Sensitization Table information was modified.
Section 11: Respiratory Sensitization Table information was modified.

Section 11: Reproductive Toxicity Table information was modified.
Section 11: Skin Corrosion/Irritation Table information was modified.
Section 11: Target Organs - Repeated Table information was modified.
Section 11: Target Organs - Single Table information was modified.
Section 11: Health Effects - Eye information information was modified.
Section 11: Health Effects - Skin information information was modified.
Section 11: Health Effects - Inhalation information information was modified.
Section 11: Health Effects - Ingestion information information was modified.
Section 11: Health Effects - Additional Information information was modified.
Section 12: No PBT/vPvB information available warning information was modified.
Section 5: Fire - Extinguishing media information information was modified.
Section 5: Fire - Advice for fire fighters information information was modified.
Section 6: Accidental release personal information information was modified.
Section 6: Accidental release environmental information information was modified.
Section 6: Accidental release clean-up information information was modified.
Section 7: Precautions safe handling information information was modified.
Section 8: Appropriate Engineering controls information information was modified.
Section 8: Personal Protection - Skin/hand information information was modified.
Section 8: Personal Protection - Thermal hazards information information was modified.
Section 10: Hazardous decomposition or by-products table information was modified.
Section 10.1: Reactivity information information was modified.
Section 13: 13.1. Waste disposal note information was modified.
Section 13: Standard Phrase Category Waste GHS information was modified.
Section 4: First aid for eye contact information information was modified.
Section 4: First aid for skin contact information information was modified.
Section 4: First aid for inhalation information information was modified.
Section 4: First aid for ingestion (swallowing) information information was modified.
Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.
Company logo information was added.
Label: CLP Classification - Header information was added.
Label: CLP Classification information was added.
Telephone header information was added.
Company Telephone information was added.
Section 2: 2.2 & 2.3. CLP REGULATION heading information was added.
Section 8: Personal Protection - Eye information information was added.
Section 8: Personal Protection - Respiratory Information information was added.
Section 9: Odour Threshold information was added.
Section 9: Solubility (non-water) information was added.
Section 09: Decomposition Temperature information was added.
Not applicable information was added.
Not applicable information was added.
Section 11: Disclosed components not in tables text information was added.
Section 12: Classification Warning information was added.
Section 11: Classification disclaimer information was added.
Section 9: Autoignition temperature information information was added.
Reach Article disclaimer text (following the copyright) information was added.
Section 8: 8.1.1 Biological limit values table heading information was added.
Section 8: BLV information was added.
Section 9: Flammability (solid, gas) information information was added.
Company Logo information was deleted.
Section 8: Eye/face protection information information was deleted.
Section 8: Eye/face protection text information was deleted.
Section 10: Hazardous decomposition products table Condition column header information was deleted.
Section 10: Hazardous decomposition products table Substance column header information was deleted.
Section 2: Contains heading information was deleted.

Section 2: Safety phrases heading information was deleted.
Section 2: Risk phrases heading information was deleted.
Section 2: Symbols heading information was deleted.
Section 15: Symbol information information was deleted.
Section 15: Symbol information information was deleted.
Section 8: Respiratory protection information information was deleted.
Section 2: Label ingredient information information was deleted.
Section 8: mg/m³ key information was deleted.
Section 8: ppm key information was deleted.
Section 11: Aspiration Hazard Table information was deleted.
Section 11: Classification disclaimer information was deleted.
Section 11: Carcinogenicity heading information was deleted.
Section 11: Reproductive/Developmental Toxicity heading information was deleted.
Section 11: UN GHS Classification table heading information was deleted.
Section 11: Reproductive Hazards information information was deleted.
Section 11: Cancer Hazards information information was deleted.
Section 12: Classification Warning information was deleted.
Section 5: Hazardous combustion products heading information was deleted.
Section 5: Hazardous combustion products table information was deleted.
Risk phrase - None information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M United Kingdom MSDSs are available at www.3M.com/uk