according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.18.2015 Page 1 of 7

## **Tap Magic Xtra-Thick**

## SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Tap Magic Xtra-Thick

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: 70016T, 70128T, 70640T, 73840T, 77040T

Recommended uses of the product and restrictions on use: Machining, Cutting, Tapping, and Metal

Processing.

**Special Notes on Product Uses**: After use of this product, clean and lubricate metal surfaces to avoid staining and/or corrosion.

#### Manufacturer Details:

The Steco Corporation 2330 Cantrell Road Little Rock, AR 72202 USA

501-375-5644

Website: www.tapmagic.com Email: steco@tapmagic.com

Emergency telephone number:

ChemTel Inc.: (800)255-3924, +1(813)248-0585

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture:


Signal word: None

Hazard statements: None

Precautionary statements: None

Other Non-GHS Classification:

WHMIS
None
NFPA/HMIS





HMISRATINGS(0-4)

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 03.18.2015 Page 2 of 7

## **Tap Magic Xtra-Thick**

## SECTION 3: Composition/information on ingredients

Ingredients:				
CAS 64742-53-6	Hydrotreated oil	1-20%		
CAS 61788-76-9	Chlorinated Paraffin	50-85%		
		Percentages are byweight		

#### **SECTION 4: First aid measures**

## Description of first aid measures

#### After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

#### After skin contact:

Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

#### After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

#### After swallowing:

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed:

Irritation. Nausea.

## Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

## **SECTION 5: Firefighting measures**

## Extinguishingmedia

### Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

#### Unsuitable extinguishing agents:

None identified.

## Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

#### Advice for firefighters:

#### **Protective equipment:**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

## SECTION 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.18.2015 Page 3 of 7

#### **Tap Magic Xtra-Thick**

#### **Environmental precautions:**

Should not be released into environment.

#### Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Refer to Section 8. Keep in suitable closed containers for disposal. Refer to Section 13. Always obey local regulations.

Reference to other sections: None

## SECTION 7: Handling and storage

#### Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances. Use only with adequate ventilation.

#### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed. Store away from incompatible materials.

## SECTION 8: Exposure controls/personal protection







**Control Parameters:** No applicable occupational exposure limits.

Appropriate Engineering controls: Emergency eye wash fountains and safety

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

 ${\bf Exposure Limits-OELs)} indicated above.$ 

**Respiratory protection:** Where risk assessment shows air-purifying respirators are appropriate

use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US)

or CEN(EU).

**Protection of skin:** Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Contact glove manufacturer for specific information. Wear appropriate clothing to

prevent any possibility of skin contact.

**Eye protection:** Safety glasses or goggles are appropriate eye protection.

**General hygienic measures:** Avoid contact with skin, eyes, and clothing.

#### SECTION 9: Physical and chemical properties

Appearance (physical state,	Liquid, Dark Amber	Explosion limit lower: Explosion limit upper:	Not determined
Odor:		Vapor pressure at 20°C:	Not determined
Odorthreshold:	Not determined	Vapor density:	Not determined

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.18.2015 Page 4 of 7

## Tap Magic Xtra-Thick

pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	Not determined	Solubilities:	Insoluble in water
Boiling point/Boiling range:	Not determined	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	>150 C	Auto/Self - ignition	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity.	a. Kinematic: 1100 cSt @ 50°C b. Dynamic: Not determined
Density at 20°C:	1.3 g/ml		

## SECTION 10: Stability and reactivity

#### Reactivity:

Nonreactive under normal conditions.

## Chemical stability:

Stable under normal conditions.

#### Possible hazardous reactions:

None under normal processing.

#### Conditions to avoid:

Incompatible materials. Excess heat.

## Incompatible materials:

Strong oxidizing agents. strong acids and alkali.

# Hazardous decomposition products:

No data available.

## **SECTION 11: Toxicological information**

Acute Toxicity: No additional information.
Chronic Toxicity: No additional information.
Corrosion Irritation: No additional information.

Sensitization: No additional information.

Numerical Measures: No additional information.

Carcinogenicity:

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Distillates (petroleum), hydrotrated light,

kerosene -unspecified)

Mutagenicity: No additional information.

 $\textbf{Reproductive Toxicity}: No \ additional information.$ 

## **SECTION 12: Ecological information**

**Ecotoxicity:** No additional information.

Persistence and degradability:

No data available.

# Bioaccumulative potential:

No data available.

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 03.18.2015 Page 5 of 7

#### **Tap Magic Xtra-Thick**

#### Mobility in soil:

No data available.

#### Other adverse effects:

None identified.

## **SECTION 13: Disposal considerations**

## Waste disposal recommendations:

Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11).

## SECTION 14: Transport information

**US DOT** 

**UN Number:** 

ADR, AND, DOT, IMDG, IATA None

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None

Proper Shipping Name: None

RQ (if applicable): None

Proper Shipping Name: None

Hazard Class: None
Packing Group: N/A
Packing Group: N/A

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

Comments: None Comments: None

## SECTION 15: Regulatory information

#### **United States (USA)**

## SARA Section 311/312 (Specific toxic chemical listings):

Acute, Fire

#### SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

## RCRA (hazardous waste code):

None of the ingredients are listed.

## TSCA (Toxic Substances Control Act):

All ingredients are listed.

#### CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

## Proposition 65 (California):

## Chemicals known to cause cancer:

None of the ingredients are listed.

## Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Created by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com This SDS applies to part numbers: 70016T, 70128T, 70640T, 73840T, 77040T

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.18.2015 Page 6 of 7

#### **Tap Magic Xtra-Thick**

## Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

## Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### Canada

## Canadian Domestic Substances List (DSL):

All ingredients are listed.

#### Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

## Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients are listed.

## **SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material. This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note.

GHS Full Text Phrases: None

## Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRAResource Conservation and Recovery Act (USA).

TSCA Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

 $ACGIH\,American\,Conference\,of\,Governmental\,Industrial\,Hygienists.$ 

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPANationalFireProtectionAssociation(USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

Created by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com This SDS applies to part numbers: 70016T, 70128T, 70640T, 73840T, 77040T

Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.18.2015 Page 7 of 7

# Tap Magic Xtra-Thick

DNEL Derived No-Effect Level (REACH).

Effective date: 03.18.2015 Last updated:07.16.2015