

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/26/2012

Revision date: 03/17/2014

Supersedes: 04/26/2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form

: Mixtures

Product name.

: Ardrox, After Furning Fluorescent Dye

Product code

: LVS600

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

: Dyestuff/pigment

1.3. Details of the supplier of the safety data sheet

SIRCHIE Finger Print Laboratories

100 Hunter Place

Youngsville, NC 27596 - USA

T 919-554-2244; 800-356-7311 - F 919-554-2266; 800-899-8181

http://www.sirchie.com

1.4. Emergency telephone number

Emergency number

: 1.800.424.9300

SECTION 2: Hazards identification

2.1. Glassification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 2 H225 Acute Tox. 3 (Oral) H301 Acute Tox, 3 (Dermal) H311 Carc. 1B H350 STOT SE 1 H370

د.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS02

GHS06

Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H350 - May cause cancer (oral, inhalation, dermal) H370 - Causes damage to organs (kidneys, liver) (Dermal, Inhalation, oral)

Precautionary statements (GHS-US)

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P260 - Do not breathe mist, spray, vapors

P264 - Wash hands, exposed skin thoroughly after handling P270 - Do no eat, drink or smoke when using this product

P280 - Wear eye protection, face protection, protective clothing, protective gloves P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P308+P313 - IF exposed or concerned: Get medical advice/attention P312 - Call a POISON CENTER/doctor/physician if you feel unwell P321 - Specific treatment (see contact a physician on this label)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P330 - If swallowed, rinse mouth

P361 - Remove/Take off immediately all contaminated clothing

P363 - Wash contaminated clothing before reuse

P370+P378 - In case of fire: Use CO2, Dry chemical, Water spray for extinction

P403+P235 - Store in a cool and well-ventilated place

P405 - Store locked up

P501 - Dispose of contents/container to in accordance with local/regional/international

regulations

2.3. Other hazards

Other hazards not contributing to the classification

: None under normal conditions.

2.4 Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures

Name	Productidentifier	%	-Classification (GHS-US)
methanol	(CAS No) 67-56-1	97	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Demal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
distillates (petroleum), hydrotreated middle	(CAS No) 64742-46-7	1.65 - 1,8	Carc. 1B, H350

SECTION 4: First aid measures

1. Description of first aid measures

ırst-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Assure fresh air breathing, Allow the victim to rest.

First-aid measures after skin contact

 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact

Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries

: Not expected to present a significant hazard under anticipated conditions of normal use.

43. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

54. Extinguishing media

suitable extinguishing media

: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media

: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity

: On heating: release of harmful/irritant gases/vapours. Reacts with (some) acids/bases.

5.3. Advice for firelighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Avoid (reject) fire-fighting water to enter environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel.

03/17/2014 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1.2. For emergency responders

Protective equipment

: Equip cleanup crew with proper protection.

Emergency procedures

Ventilate area.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

65. Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

741. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities.

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products

: Strong bases, strong acids,

Incompatible materials

Sources of ignition, Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8:1. Control parameters

rethanol (67-56-1)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	250 ppm

8.2. Exposure controls

Personal protective equipment

: Avoid all unnecessary exposure. Gas mask. Gloves. Protective goggles.







Hand protection

: Wear protective gloves.

Eye protection

Chemical goggles or safety glasses.

Respiratory protection

Wear approved mask.

Other information

When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

: Liquid

Appearance

Color

: Powders.

Odor

Yellow.

Odor threshold

Alcohol odour.

рΗ

: No data available

Relative evaporation rate (butyl acetate=1)

No data available

No data available

Melting point

No data available

ezing point

No data available

Boiling point

No data available

Flash point

: No data available

03/17/2014

EN (English US)

3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available : No data available

Solubility : Moderately soluble in water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

On heating: release of harmful/irritant gases/vapours. Reacts with (some) acids/bases.

10:2. Chemical stability

Highly flammable liquid and vapor. Heating may cause a fire. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

4. Conditions to avoid

⊔irect sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Toxic if swallowed. Toxic in contact with skin.

Ardrox, After Furning Fluorescent D	<u>'e</u>
ATE (oral)	100.000 mg/kg
ATE (dermal)	300.000 mg/kg
ATE (dust,mist)	0.500 mg/l/4h

:methanol:(67:56:1)		
LD50 oral rat	> 5000 mg/kg (1187-2769 mg/kg bodyweight; Rat; Rat)	
LD50 dermal rabbit	15800 mg/kg (Rabbit)	
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat)	
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat)	

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

rcinogenicity : May cause cancer.

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

03/17/2014 EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ecific target organ toxicity (single exposure) : Causes damage to organs (Dermal, Inhalation, oral).

Specific target organ toxicity (repeated

exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1, Toxicity

methanol (67-56-1)	
LC50 fish 1	15400 mg/l (96 h; Lepomis macrochirus; LETHAL)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna; LETHAL)
LC50 fish 2	10800 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 2	24500 mg/l (48 h; Daphnia magna)
Threshold limit other aquatic organisms 1	6600 mg/l (16 h; Pseudomonas putida)
Threshold limit algae 1	530 mg/l (192 h; Microcystis aeruginosa)
Threshold limit algae 2	8000 mg/l (168 h; Scenedesmus quadricauda)

12.2. Persistence and degradability

Ardrox, After Furning Fluorescent Dye	
Persistence and degradability	Not established.
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Riochemical oxygen demand (BOD)	0.6 - 1.12 g O ² /g substance
Chemical oyxgen demand (COD)	1.42 g O ² /g substance
ThOD	1.5 g O²/g substance
BOD (% of ThOD)	0.40 - 0.73 % ThOD

12.3. Bioaccumulative potential

Ardrox, After Fuming Fluorescent Dy	ė.
Bioaccumulative potential	Not established.
methanol (67-56≤1)	
BCF fish 1	< 10 (Leuciscus idus)
Log Pow	-0.77 (Experimental value; Other, Experimental value; Other)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

methanol (67-56-1)		
Surface tension	0.023 N/m (20 °C)	

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

18.1. Waste-treatment-methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

I-No.(DOT) : 1230

DOT Proper Shipping Name : Methanol solution

Flammable Liquid

03/17/2014 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

partment of Transportation (DOT) Hazard

Jasses

Hazard labels (DOT)

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

: 3 - Flammable liquid

6.1 - Poison inhalation hazard





Packing group (DOT)

: II - Medium Danger

Additional Information

Other information

: No supplementary information available.

ADR

Transport document description

Class (ADR)

: 3 - Flammable liquid

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

¹⁴5.2-International regulations

ANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.2; R45

F; R11

T; R23/24/25

T; R39/23/24/25

Full text of R-phrases: see section 16

15.2.2. National regulations

No additional information available

153. US State regulations

Ardrox, After Fuming Fluorescent Dye()

U.S. - California - Proposition 65 - Developmental Toxicity

Yes

SECTION 16: Other information

Indication of changes

: Revision - See : *.

03/17/2014

EN (English US)

6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE ta sources

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Normal use of this product shall imply use in accordance with the instructions on the packaging. Training advice

Other information None.

Full text of H-phrases: see section 16:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Carc. 1B	Carcinogenicity Category 1B
Flam. Liq. 2	Flammable liquids Category 2
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H311	Toxic in contact with skin
H331	Toxic if inhaled
H350	May cause cancer
H370	Causes damage to organs

NFPA health hazard : 2 - Intense or continued exposure could cause temporary

incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard : 4 - Will rapidly or completely vaporize at normal pressure


and temperature, or is readily dispersed in air and will burn

readily.

: 1 - Normally stable, but can become unstable at elevated NFPA reactivity

temperatures and pressures or may react with water with

some release of energy, but not violently.



HMIS III Rating

: 2 Moderate Hazard - Temporary or minor injury may occur Health

Flammability : 4 Severe Hazard **Physical** : 1 Slight Hazard

Personal Protection : H

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular

03/17/2014

EN (English US)

7/7