

Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

1/13

SAFETY DATA SHEET

1. Identification

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

Other means of identification

SDS number:

088100175565

Recommended use and restriction on use

Recommended use: Skin Antiseptic Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name:

Becton Dickinson-Diabetes Care

Address:

1 Becton Drive

Franklin Lakes, NJ07417

Telephone:

1 201 847 6800

Fax:

Contact Person:

Regulatory Affairs

Emergency telephone number: ChemTrec 1 800 424 9300

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids

Category 2

Health Hazards

Serious Eye Damage/Eye Irritation

Category 2A

Specific Target Organ Toxicity -

Category 3

Single Exposure

Unknown toxicity

Acute toxicity, oral

0 %

Acute toxicity, dermal

0 %

Acute toxicity, inhalation, vapor

70 %

Acute toxicity, inhalation, dust or mist

70 %

Unknown toxicity

Acute hazards to the aquatic

30 %

environment



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

2/13

Chronic hazards to the aquatic

100 %

environment

Label Elements

Hazard Symbol:



Signal Word:

Danger

Hazard Statement:

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary Statement

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep

container tightly closed. Take precautionary measures against static

discharge. Wash thoroughly after handling. Avoid breathing

dust/fume/gas/mist/vapors/spray.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to remove. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. In case of fire: Use carbon dioxide for

extinction.

Storage:

Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.



Version: 1.0


Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

3/13


HMIS Hazard ID



B - Safety Glasses & Gloves

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms		Content in percent (%)*	
2-Propanol		67-63-0	70%	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information:

Get medical attention if symptoms occur. For breathing difficulties, oxygen

may be necessary.

Ingestion:

Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable take to hospital along with

these instructions.

Inhalation:

Move into fresh air and keep at rest. Get medical attention if any discomfort

continues.



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

4/13

Skin Contact:

No specific precautions due to the small quantities handled.

Eye contact:

Promptly wash eyes with plenty of water while lifting the eye lids. Get

medical attention promptly if symptoms occur after washing.

Most important symptoms/effects, acute and delayed

Symptoms

No data available.

Indication of immediate medical attention and special treatment needed

Treatment

No data available.

5. Fire-fighting measures

General Fire Hazards:

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking.

Ventilate.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water

fog.

Unsuitable extinguishing

media:

No data available.

Specific hazards arising from

the chemical:

Fire causes formation of toxic gases. The product can form flammable mixtures and can burn only when heated above the flash point.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

The product is highly flammable and may be ignited even after short

contact with an ignition source.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment.

Methods and material for containment and cleaning

up:

Absorb spillage with non-combustible, absorbent material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Wash contaminated area with water.

Environmental Precautions:

Prevent spillage entering a watercourse or sewer, contaminating soil or vegetation. If this is not possible notify police and appropriate authorities immediately.



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

5/13

7.Handling and storage

Precautions for safe handling:

Provide adequate ventilation. Avoid eating, drinking and smoking when

using the product.

Conditions for safe storage, including any

including any incompatibilities:

Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. Comply with all national, state, and local codes pertaining to the storage, handling,

dispensing, and disposal of flammable liquids.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	type	Exposure Limit Values		Source		
2-Propanol	STEL	500 ppm	1,225	US. NIOSH: Pocket Guide to		
			mg/m3	Chemical Hazards (2005)		
	REL	400 ppm	980	US. NIOSH: Pocket Guide to		
			mg/m3	Chemical Hazards (2005)		
	TWA	400 ppm	980	US. OSHA Table Z-1-A (29 CFR		
			mg/m3	1910.1000) (1989)		
	STEL	500 ppm	1,225	US. OSHA Table Z-1-A (29 CFR		
			mg/m3	1910.1000) (1989)		
	TWA	400 ppm	980	US. Tennessee. OELs. Occupational		
	' ' ' ' '		mg/m3	Exposure Limits, Table Z1A (06 2008)		
	STEL	500 ppm	1,225	US. Tennessee. OELs. Occupational		
	0,22		mg/m3	Exposure Limits, Table Z1A (06 2008)		
	AN ESL		200 ppb	US. Texas. Effects Screening Levels		
•	7.114 EOC		''	(Texas Commission on		
				Environmental Quality) (12 2010)		
	ST ESL		2,000 ppb	US. Texas. Effects Screening Levels		
	01 202		' ''	(Texas Commission on		
				Environmental Quality) (12 2010)		
	AN ESL		492 µg/m3	US. Texas. Effects Screening Levels		
	ANLOL		10	(Texas Commission on		
				Environmental Quality) (12 2010)		
	ST ESL		4,920	US. Texas. Effects Screening Levels		
	OT LOL		μg/m3	(Texas Commission on		
			' `	Environmental Quality) (12 2010)		
***************************************	TWA	400 ppm	980	US. California Code of Regulations,		
	PEL		mg/m3	Title 8, Section 5155. Airborne		
	1 tm tm		3.	Contaminants (08 2010)		
	STEL	500 ppm	1,225	US. California Code of Regulations,		
	SIEL		mg/m3	Title 8, Section 5155. Airborne		
				Contaminants (08 2010)		
	STEL	400 ppm		US. ACGIH Threshold Limit Values		
	JOICT	PP				



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

6/13

TWA	200 ppm		(12 2010) US. ACGIH Threshold Limit Values (12 2010)
PEL	400 ppm	980 mg/m3	US. OSHA Table Z-1 Limits for Air

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source	
2-Propanol (acetone: Sampling time: End of shift at end of work week.)	40 mg/l (Urine)	ACGIH BEL (03 2013)	

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:

No data available.

Eye/face protection:

Use eye protection.

Skin Protection

Hand Protection:

Chemical resistant gloves

Other:

No data available.

Respiratory Protection:

No protection is ordinarily required under normal conditions of use and with

adequate ventilation.

Hygiene measures:

Observe good industrial hygiene practices. When using do not eat, drink or

smoke.

9. Physical and chemical properties

Appearance

Physical state:

liquid

Form:

liquid

Color:

Colorless

Odor:

Slight odor of alcohol

Odor threshold:

No data available.

pH:

No data available.

Melting point/freezing point:

-29 °C

Initial boiling point and boiling range:

82 °C

Flash Point:

18 °C



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

7/13

Evaporation rate:

No data available.

Flammability (solid, gas):

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

12.7 %(V)

Flammability limit - lower (%):

2 %(V)

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

Vapor pressure:

31 hPa (20 °C)

Vapor density:

No data available.

Relative density:

0.875

Solubility(ies)

Solubility in water:

Completely soluble in water

Solubility (other):

No data available.

Partition coefficient (n-octanol/water):

No data available.

Auto-ignition temperature:

No data available.

Decomposition temperature:

No data available.

Viscosity:

No data available.

Other information

Minimum ignition temperature:

399 °C

VOC:

612.5 g/l

10. Stability and reactivity

Reactivity:

Stable

Chemical Stability:

No data available.

Possibility of Hazardous

None under normal conditions.

Reactions

Conditions to Avoid:

No data available.

Incompatible Materials:

Contact with acids. Strong oxidizing agents. Acid aldehydes. Halogenated

materials. Aluminum.

Hazardous Decomposition

Products:

No data available.

11. Toxicological information

Information on likely routes of exposure

Ingestion:

No data available.



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

8/13

Inhalation:

No data available.

Skin Contact:

No data available.

Eye contact:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:

Ingestion may cause severe irritation of the mouth, the esophagus and the

gastrointestinal tract.

Inhalation:

Headache. Dizziness.

Skin Contact:

Prolonged skin contact may cause redness, irritation and dry skin.

Eye contact:

Causes eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:

Not classified for acute toxicity based on available data.

Dermal

Product:

Not classified for acute toxicity based on available data.

Inhalation

Product:

Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product:

No data available.

Skin Corrosion/Irritation

Product:

Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Serious Eye Damage/Eye Irritation

Product:

Irritating to eyes.

Respiratory or Skin Sensitization

Product:

Not a skin sensitizer.

Carcinogenicity

Product:

No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

9/13

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product:

No data available.

In vivo

Product:

No data available.

Reproductive toxicity

Product:

No data available.

Specific Target Organ Toxicity - Single Exposure

Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product:

No data available.

Aspiration Hazard

Product:

No data available.

Other effects:

No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):

2-Propanol

LC 50 (Carp (Leuciscus idus melanotus), 48 h): 9,280 mg/l Mortality

LC 50 (Fathead minnow (Pimephales promelas), 24 h): 10,600 mg/l Mortality LC 50 (Fathead minnow (Pimephales promelas), 24 h): 11,160 mg/l Mortality LC 50 (Fathead minnow (Pimephales promelas), 1 h): 11,830 mg/l Mortality LC 50 (Harlequinfish, red rasbora (Rasbora heteromorpha), 24 h): 7,100

mg/l Mortality

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

2-Propanol

LC 50 (Brine shrimp (Artemia salina), 24 h): > 10,000 mg/l Mortality



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

10/13

LC 50 (Water flea (Daphnia magna), 24 h): > 10,000 mg/l Mortality

LC 50 (Common shrimp, sand shrimp (Crangon crangon), 48 h): 900 - 1,950

mg/l Mortality

LC 50 (Common shrimp, sand shrimp (Crangon crangon), 96 h): 750 - 1,650

mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product:

No data available.

Aquatic Invertebrates

Product:

No data available.

Toxicity to Aquatic Plants

Product:

No data available.

Persistence and Degradability

Biodegradation

Product:

The product is expected to be slowly biodegradable.

BOD/COD Ratio

Product:

No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product:

No data available.

Partition Coefficient n-octanol / water (log Kow)

Product:

Log Kow: No data available.

Mobility in Soil:

No data available.

Known or predicted distribution to environmental compartments

2-Propanol

No data available.

Known or predicted distribution to environmental compartments

Water

No data available.

Other Adverse Effects:

No data available.

13. Disposal considerations



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOH Product No.: 326895	OL 100 BX 1200	1′			
Disposal instructions:	Dispose of waste and residues in accordance with local authority requirements.				
Contaminated Packaging:	No data available.				
14. Transport Information					
Other information	49CFR 172.102 - Special Provision 47: Small inner packagings consisting of sealed packets and articles containing less than 10 mL of a Packing Group II or III flammable liquid absorbed into a solid material are not subject to this subchapter provided there is no free liquid in the packet or article				
Other information	Special Provision 216: Sealed packets and articles containing less than 10 mL of a Packing Group II or III flammable liquid absorbed into a solid material are not subject to the provisions of this Code provided there is no free liquid in the packet or article				
Other information	Special Provision A46: Small inner packaging consisting of sealed packets or articles containing less than 10 mL of a Packing Group II or III flammable liquid absorbed into a solid material are not subject to these Regulations provided there is no free liquid in the packet or article				
15. Regulatory information					
US Federal Regulations					
TSCA Section 12(b) Export None present or none pres	Notification (40 CFR 707, Subpt. D) ent in regulated quantities.				
US. OSHA Specifically Reg None present or none pres	ulated Substances (29 CFR 1910.1001-1050) ent in regulated quantities.				
CERCLA Hazardous Substa 2-Propanol	ance List (40 CFR 302.4): Reportable quantity: 100 lbs.				
Superfund Amendments ar	d Reauthorization Act of 1986 (SARA)				
Hazard categories					
Acute (Immediate)	Chronic (Delayed) Fire Reactive Pressure Generating				

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

12/13

SARA 304 Emergency Release Notification

Chemical Identity

2-Propanol

100 lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity

Chemical Identity

2-Propanol

Threshold Planning Quantity 500 lbs

SARA 313 (TRI Reporting)

Reporting

Reporting threshold for manufacturing and

threshold for other users

processing

2-Propanol

10000 lbs

25000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

2-Propanol

US. Massachusetts RTK - Substance List

2-Propanol

Listed

US. Pennsylvania RTK - Hazardous Substances

2-Propanol

Listed

US. Rhode Island RTK

2-Propanol

Listed

16.Other information, including date of preparation or last revision

Issue Date:

08/04/2015

Revision Information

Version #:

1.0

Further Information:

No data available.



Version: 1.0

Revision Date: 08/04/2015

Product name: SWAB ALCOHOL 100 BX 1200

Product No.: 326895

13/13

Disclaimer:

Disclaimer:

The information contained herein has been obtained from various sources and is believed to be correct as of the date issued. However, neither BD nor any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability for a particular use of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. BD provides MSDS in electronic form so the information may be more easily accessed. Due to the possibility of errors during transmission, BD makes no representations as to the completeness or accuracy of the information.

	•		ĺ
			nmae ⁿ