Patterson Mouthguard Material

SECTION 1: Identification of the substance/mixture and of the supplier

Product name:

Patterson Mouthguard Material

Manufacturer/Supplier Trade name:

Patterson Mouthguard Material

Manufacturer/Supplier Article number:

070895003, 070911180, 070911214

Recommended uses of the product and restrictions on use: Sheet Resins to form Mouthguards

Manufacturer Details:

Patterson Companies, Inc. 1031 Mendota Heights Road

St. Paul, MN 55120 **Tel:** 703-527-3887

Supplier Details:

Patterson Companies, Inc. 1031 Mendota Heights Road

St. Paul, MN 55120 Tel: 703-527-3887

Emergency telephone number:

ChemTrec Inc: 1-800-424-9300, 703-527-3887 (CHEMTREC)



SECTION 2: Hazards identification

Classification of the substance or mixture:

Not classified for physical or health hazards under GHS.

Hazard statements: None.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.


P103: Read label before use.

Hazards not otherwise classified (HNOC):


Combustible dust concentrations may form in the air. Molten Resin causes severe thermal burns.

Other Non-GHS Classification:

NFPA/HMIS



NFPA SCALE (0-4)



HMIS RATINGS (0-4)

0=Minimal Hazard; 1=Slight Hazard; 2=Moderate Hazard; 3=Serious Hazard; 4=Severe Hazard.

SECTION 3: Composition/information on ingredients

Ingredients:		
CAS#	Description	Wt. %
CAS 24937-78-8	Ethylene-Vinyl Acetate Copolymer	>99 %

Effective date: 05.18.2015

Page **2** of 6

Patterson Mouthguard Material

SECTION 4: First aid measures

Description of first aid measures

After inhalation: Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact: Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists. If molten material comes in contact with skin, do not apply ice but cool under ice water or running stream of water. DO NOT attempt to remove the material from the skin. Removal could result in severe tissue damage. Seek immediate medical attention/advice

After eye contact: Protect unexposed eye.Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing.Seek medical attention if irritation persists or if concerned. Ambient wax – flush wax particles with tepid water. Hot wax – seek medical attention.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. If swallowed, seek medical attention. May cause gastrointestinal blockage. Do not give laxatives.

Most important symptoms and effects, both acute and delayed:

Irritation, Headache, Nausea, Shortness of breath,

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents: None identified.

Special hazards arising from the substance or mixture:

Fire may release, but not limited to, carbon monoxide, carbon dioxide, vinyl acetate, and acetic acid

Advice for firefighters:

Protective equipment: Wear protective eyewear, gloves, and clothing. Refer to Section 8.Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

SMALL MOLTEN SPILL: Allow wax to cool and remove as a solid. Always obey local regulations. Containerize for disposal. Refer to Section 13.If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

LARGE MOLTEN SPILLS: Wear respirator and protective clothing as appropriate. Shut off source of leak if safe to do so. Dike and contain. Allow wax to cool and remove as a solid.

Reference to other sections: No additional information.

SECTION 7: Handling and storage

Precautions for safe handling:

Follow good hygiene procedures when handling chemical materials. Refer to Section 8.Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid heat and direct sunlight. Avoid contact in molten state.

Patterson Moutnguard Material

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Provide ventilation for containers. Keep container tightly sealed.

SECTION 8: Exposure controls/personal protection





Control Parameters:

No applicable occupational exposure limits

Appropriate Engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Exhaust air may need to be cleaned by scrubbers or filters to reduce environmental contamination. Do not let molten product stand unused in melt tanks and injection

machines. Stir molten product at all times.

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH

approved breathing equipment.

Protection of skin:

Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing. Thermal insulating glove when handling molten

product.

Eye protection:

Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye

protection.

General hygienic measures:

Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes, and clothing. Before wearing

wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Translucent to whitish sheets	Explosion limit lower: Explosion limit upper:	Not applicable Not applicable
Odor:	Mild, ester-like	Vapor pressure:	Negligible.
Odor threshold:	Not Determined	Vapor density:	Not Determined
pH-value:	Not Determined	Relative density:	Not Determined
Melting/Freezing point:	Not Determined	Solubilities:	Negligible.
Boiling point/Boiling range:	Not Determined	Partition coefficient (n-octanol/water):	Not Determined
Flash point (closed cup):	500°F/260°C	Auto/Self-ignition temperature:	Not Determined

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05.18.2015

Page 4 of 6

Patterson Mouthguard Material

Evaporation rate:	Not Determined	Decomposition temperature:	> 446°F/230°C
Flammability (solid,gaseous):	Not flammable	Viscosity:	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density: 0.94 g/cm3			

SECTION 10: Stability and reactivity

Reactivity: Nonreactive under normal conditions. **Chemical stability:** Stable under normal conditions.

Possible hazardous reactions: None under normal processing.

Conditions to avoid: Incompatible materials. High heat.

Incompatible materials: Strong acids, alkalis, and oxidizing agents.

Hazardous decomposition products: Carbon monoxide, Organic acids, Aldehydes, Acrolein, Alcohols, nitrogen

oxides

SECTION 11: Toxicological information

Acute Toxicity:		
Oral:	LD50 (Rat): > 5000 mg/kg estimated	
Dermal:	LD50 (Rabbit) > 2000 mg/kg estimated	
Chronic Toxicity: No additiona	l information.	
Corrosion Irritation: No addition	onal information.	
Ocular:	Dust contact with the eyes can lead to mechanical irritation. Elevated temperatures may generate vapor levels sufficient to cause eye irritation. Effects may include discomfort and redness.	
Dermal:	Prolonged contact is essentially non- irritating to skin. Contact with dust can cause mechanical irritation or drying of the skin. Under normal processing conditions, material is heated to elevated temperatures; contact with the material can cause thermal burns. No adverse effects anticipated by skin absorption.	
Sensitization:	No additional information.	
Single Target Organ (STOT):	No additional information.	
Numerical Measures:	No additional information.	
Carcinogenicity:	No additional information.	
Mutagenicity:	No additional information.	
Reproductive Toxicity:	No additional information.	

SECTION 12: Ecological Information

Ecotoxicity: None identified.

Persistence and degradability: Not determined. Bioaccumulative potential: Not determined.

Mobility in soil: Not determined.

Other adverse effects: None identified.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05.18.2015

Page **5** of **6**

Patterson Mouthquard Material

SECTION 13: Disposal considerations

Waste disposal recommendations:

Dispose of empty containers as unused product. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Small quantities can be disposed of with household waste.

SECTION 14: Transport information

UN-Number:

Not Regulated.

UN proper shipping name:

Not Regulated.

Transport hazard class(es):

Not applicable.

Packing group:

Not applicable.

Transport in bulk:

Environmental hazard:

Not applicable.

Not applicable.

Special precautions for user:

Not applicable.

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings): None of the ingredient is listed.

SARA Section 313 (Specific toxic chemical listings): None of the ingredient is listed.

RCRA (hazardous waste code): None of the ingredient is listed.

TSCA (Toxic Substances Control Act): All ingredient are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act): None of the ingredient is listed

Proposition 65 (California):

Chemicals known to cause cancer: None of the ingredient is listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredient is listed.

Chemicals known to cause reproductive toxicity for males: None of the ingredient is listed.

Chemicals known to cause developmental toxicity: None of the ingredient is listed.

Canada

Canadian Domestic Substances List (DSL): All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%): None of the ingredient is listed.

Canadian NPRI Ingredient Disclosure list (limit 1%): None of the ingredient is listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods.

PNEC: Predicted No-Effect Concentration (REACH).

CFR: Code of Federal Regulations (USA).

SARA: Superfund Amendments and Reauthorization Act (USA).

RCRA: Resource Conservation and Recovery Act (USA).

TSCA: Toxic Substances Control Act (USA).

NPRI: National Pollutant Release Inventory (Canada).

DOT: US Department of Transportation.

Jaicty Data Jileet

according to 29CFR1910/1200 and GHS Rev. 3

Page 6 of 6

Effective date: 05.18.2015

Patterson Mouthguard Material

IATA: International Air Transport Association.
GHS: Globally Harmonized System of Classification and Labelling of Chemicals.
ACGIH: American Conference of Governmental Industrial Hygienists.
CAS: Chemical Abstracts Service (division of the American Chemical Society).
NFPA: National Fire Protection Association (USA).
HMIS: Hazardous Materials Identification System (USA).
WHMIS: Workplace Hazardous Materials Information System (Canada).
DNEL: Derived No-Effect Level (REACH).

Effective date: 05.18.2015 Last updated: 05.22.2015